

<?xml version="1.0" encoding="UTF-8"?>
<language code='eng' archonversion='1.50-ALPHA'>
<phrasetype name='Admin Phrase'>
<phrase name='about_header' regularexpression="">
About Archon
Quan a l'Archon

</phrase><phrase name='about_history' regularexpression="">
Archon began development in the fall of 2003 at
Archon va començar el seu desenvolupament a la tardor del 2003

The Sousa Archives
**com un projecte de baix cost per establir la presència a la web pels arxius. Despres
posar en producció l'inicial prototipus el projecte va rebre el suport de**
as a low budget project to establish a web presence for the archives. After the initial
prototype was put into production, the project received the support of the

University Archives and
University Archives I University Library
University Library,

**I va ser remodelat per ser una aplicació flexible I fàcilment implementable per altres
institucions d'arxiu. El projecte compleix els estàndards a mida que a anat creixent, és
fàcilment administrable I ofereix molts mètodes per la importació I exportació de dades
d'arxiu**

and was remodeled to be a flexible application which could easily be implemented at
other archival institutions. The project has since expanded in scope, and has become a
standards-compliant system which is easily managed, and offers numerous commonly
used methods for the import and export of archival data.

</phrase><phrase name='about_staff' regularexpression="">
Project Staff:
Personal del projecte

</center>
Chris Prom, Assistant Archivist, The
University Archives, UIUC Scott Schwartz, Director & Archivist, The Sousa Archives, UIUC
<span onMouseOver="logoURL =
window.top.frames['sidebar'].document.getElementById('logo').src;
window.top.frames['sidebar'].document.getElementById('logo').src =
'about.php?f=rishel';"
onMouseOut="window.top.frames['sidebar'].document.getElementById('logo').src =
logoURL;">Chris Rishel, Lead Developer, UIUC
Kyle Fox, Developer, UIUC
<center>

Special Thanks:
Agraïments a:

Teresa Brinati
Adriana Cuervo
Naun Chew Chait

Lynn Holdzkom
 Sharif Islam
Paula Kaufman

Christoffer Landtman
Adam Lewenberg

Bill Maher
Pamela Nye
 Deborra Richardson
 Beth Sandore

Karen Schmidt
 Linda Stahnke
Peggy Steele

Ellen Swain
John Weible
 Kathy Wisser

UIUC Library Executive Committee

Citations from

Mencions a

<i>Describing Archives: a Content Standard</i>
are reprinted with permission by the Society of American Archivists,
imprès amb el permís de

www.archivists.org.

</center>

</phrase><phrase name='accessdenied' regularexpression=''>

Access Denied.

Accés denegat

</phrase> <phrase name='add' regularexpression=''>

Add

Afegir

</phrase> <phrase name='addnew' regularexpression=''>

(Add New)

(Afegir nou)

</phrase><phrase name='advancedpermissionseditor' regularexpression=''>

Advanced Permissions Editor

Editor de permisos avançat

</phrase><phrase name='all' regularexpression=''>

(All)

(Tots)

</phrase>

<phrase name='appointmentpurposes_appointmentpurpose'
regularexpression=''>

Appointment Purpose

</phrase><phrase name='appointmentpurposes_header' regularexpression=''>

Appointment Purposes Manager

Gestor de

</phrase><phrase name='appointments_allmaterials' regularexpression=''>

Retrieve/Return All Materials

Mostra tots els materials

</phrase><phrase name='appointments_appointmentpurposeid'
regularexpression=''>

Appointment Purpose

</phrase><phrase name='appointments_archivistcomments' regularexpression=''>

Archivist Comments

Comentaris de l'arxiver

</phrase><phrase name='appointments_arrivaltime' regularexpression=''>

Arrival Time
Hora d'arribada

</phrase><phrase name='appointments_departuretime' regularexpression=''>
Departure Time
Hora de sortida

</phrase><phrase name='appointments_header' regularexpression=''>
Appointments Manager
Gestor de

</phrase><phrase name='appointments_researchercomments' regularexpression=''>
Researcher Comments
Comentaris dels investigadors

</phrase> <phrase name='appointments_researcherid' regularexpression=''>
Researcher
Investigador

</phrase><phrase name='appointments_retrievereturn' regularexpression=''>
Retrieve/Return Research Materials
Mostrar materials de recerca

</phrase><phrase name='appointments_submittime' regularexpression=''>
Time Submitted
Hora de presentació (enviament)

</phrase><phrase name='appointments_topic' regularexpression=''>
Topic
Assumpte, tema ??

</phrase><phrase name='archon' regularexpression=''>
Archon

</phrase><phrase name='areyousure' regularexpression=''>
Are you sure?
Esteu segur?

</phrase><phrase name='changepassword_confirmnewpassword'
regularexpression=''>
Confirm New Password
Confirmar la nova contrasenya

</phrase><phrase name='changepassword_currentpassword' regularexpression=''>
Current Password
Contrasenya actual

</phrase><phrase name='changepassword_header' regularexpression=''>
Change My Password
Canviar la meva contrasenya

</phrase><phrase name='changepassword_newpassword' regularexpression=''>
New Password
Nova contrasenya

</phrase><phrase name='classification_allcreators' regularexpression=''>
All Creators
Tots els productors

</phrase><phrase name='classification_applycreator' regularexpression=''>
Apply Creator
Aplicar un productor

</phrase><phrase name='classification_classificationunder'
regularexpression=''>
Classification under

Classificació sota de
</phrase><phrase name='classification_creatorid' regularexpression="">
Apply a Creator
Aplicar un productor

</phrase><phrase name='classification_creatorsearch' regularexpression="">
Apply a Creator
Aplicar un productor

</phrase><phrase name='classification_currentcreator' regularexpression="">
Current creator
Productor actual

</phrase><phrase name='classification_header' regularexpression="">
Classification Manager
Gestor de classificació (Administrador de la classificació)

</phrase><phrase name='classification_number' regularexpression="">
Number
numero

</phrase><phrase name='classification_title' regularexpression="">
Title
Títol

</phrase><phrase name='classification_transfer_header' regularexpression="">
Classification Transfer
Classificació transferència ?;

</phrase><phrase name='clickforhelp' regularexpression="">
Click for help
Pulsar per obtenir ajuda

</phrase><phrase name='collections_acquisition' regularexpression="">
Acquisition Information
Informació d'adquisició

</phrase><phrase name='collections_acquisition_accrualinfo'
regularexpression="">
Accruals/Additions
Increments

</phrase><phrase name='collections_acquisition_acquisitiondate'
regularexpression="">
Initial Date Acquired
Data d'adquisició

</phrase><phrase name='collections_acquisition_acquisitionmethod'
regularexpression="">
Method
metode

</phrase><phrase name='collections_acquisition_acquisitionsources'
regularexpression="">
Source
Font

</phrase><phrase name='collections_acquisition_appraisalinfo'
regularexpression="">
Appraisal Info
Informació d'avaluació

</phrase><phrase name='collections_acquisition_custodialhistory'
regularexpression="">

Custodial History

Historia de la Custodia

</phrase><phrase name='collections_addnew' regexexpression='>

Add New Collection:

Afegir una nova col.lecció

</phrase><phrase name='collections_areyousure' regexexpression='>

This will delete the selected collection AND ALL content contained within. Are you sure?

Això esborrarà la sèrie seleccionada i tot el seu contingut. Esteu segurs?

</phrase><phrase name='collections_collectioninformation' regexexpression='>

Collection Information

Informació de la col.lecció

</phrase><phrase name='collections_common_classificationid' regexexpression='>

Collection Classification

Classificació de la col.lecció

</phrase><phrase name='collections_common_collectionidentifier' regexexpression='>

Collection Identifier

Identificador de la col.lecció

</phrase><phrase name='collections_common_enabled' regexexpression='>

Enable Web Output

Permetre la sortida Web

</phrase><phrase name='collections_common_extent' regexexpression='>

Extent

Volum

</phrase><phrase name='collections_common_findingaidauthor' regexexpression='>

Finding Aid Author

Autoria de la descripció (autor de la descripció)

</phrase><phrase name='collections_common_inclusivedates' regexexpression='>

Inclusive Dates

Dates extremes

</phrase><phrase name='collections_common_materialtypeid' regexexpression='>

Type of Materials

Tipus de materials

</phrase><phrase name='collections_common_normaldates' regexexpression='>

First/Last Year

Primer i últim any

</phrase><phrase name='collections_common_predominantdates' regexexpression='>

Predominant Dates

Dates predominants

</phrase><phrase name='collections_common_repositoryid' regexexpression=''>
Main Repository
Arxiu principal

</phrase><phrase name='collections_common_sorttitle' regexexpression=''>
Sort Title
Ordenació per títol o Títol d'ordenació

</phrase><phrase name='collections_common_templateset' regexexpression=''>
Template
Plantilla

</phrase><phrase name='collections_common_title' regexexpression=''>
Title
Títol

</phrase><phrase name='collections_content_addeditdigitalcontent'
regexexpression=''>
Add or Edit Digital Content
Afegir o editar contingut digital

</phrase><phrase name='collections_content_areyousure' regexexpression=''>
This will delete this content, AND all content contained by this content. Are you sure
you want to do this?
Això esborrarà aquest contenidor i tot el seu contingut. Esteu segur?

</phrase><phrase name='collections_content_containedby' regexexpression=''>
Content contained by
Contingut de

</phrase><phrase name='collections_content_containernumber' regexexpression=''>
Container Number
Nombre de contenidor

</phrase><phrase name='collections_content_currentlevel' regexexpression=''>
Current Level/Container
Nivell/contenidor actual

</phrase><phrase name='collections_content_date' regexexpression=''>
Date(s)
Dates

</phrase><phrase name='collections_content_description' regexexpression=''>
Description
Descripció

</phrase><phrase name='collections_content_header' regexexpression=''>
Content Manager
Administrador de contingut

</phrase><phrase name='collections_content_levelcontainer' regexexpression=''>
Level/Container
Nivell/contenidor

</phrase><phrase name='collections_content_levelcontainerid' regexexpression=''>
Level/Container
Nivell/contenidor

</phrase><phrase name='collections_content_levelcontainernumber'
regexexpression=''>
Level/Container Number(s)
Nombre de Nivell/contenidor

</phrase><phrase name='collections_content_returntomanager'
regexexpression=''>

Return to Collection Manager

Tornar a l'administrador de col.leccions

</phrase><phrase name='collections_content_title' regularexpression=''>
Title

Títol

</phrase><phrase name='collections_content_titlecontent' regularexpression=''>
Title/Content

Títol/contingut

</phrase><phrase name='collections_content_transfer_pleaseselectcontainer' regularexpression=''>

Please select a new container to contain the content

Sel.leccionar un nou contenidor

</phrase><phrase name='collections_content_transfer_returntomanager' regularexpression=''>

Return to Content Manager

Tornar a l'administrador de contingut

</phrase><phrase name='collections_content_transfer_selectcollection' regularexpression=''>

(Select Collection)

(Sel.leccionar col.lecció)

</phrase><phrase name='collections_content_transfer_selectcontainer' regularexpression=''>

(Select Container)

(Sel.leccionar contenidor)

</phrase><phrase name='collections_content_userfields_delete' regularexpression=''>

Delete Field

esborrar camp

</phrase><phrase name='collections_content_userfields_eadelementid' regularexpression=''>

EAD Field Type

Tipus de camp EAD

</phrase><phrase name='collections_content_userfields_title' regularexpression=''>

Label/Head

Etiqueta/capçalera

</phrase><phrase name='collections_content_userfields_userdefinedfields' regularexpression=''>

User Defined Fields

Camps definits per l'usuari

</phrase><phrase name='collections_content_userfields_value' regularexpression=''>

Content

Contingut

</phrase><phrase name='collections_creators' regularexpression=''>
Creator Information

Informació del productor

</phrase><phrase name='collections_creators_allcreators' regularexpression=''>
All Creators

Tots els productors

</phrase><phrase name='collections_creators_creatorsfor' regularexpression='>
Creators for Content

Productors del contingut

</phrase><phrase name='collections_creators_primarycreator'
regularexpression='>

WARNING: No Primary Creator has been applied for this collection.

Avis: No ha estat aplicat cap productor en aquesta col.lecció

</phrase><phrase name='collections_delete' regularexpression='>
Delete Collection

Esborra col.lecció

</phrase><phrase name='collections_description' regularexpression='>
Collection Description

Descripció de col.lecció

</phrase><phrase name='collections_description_altextentstatement'
regularexpression='>

Alt Extent Stmt

Extensió del comentari alternatiu ?¿

</phrase><phrase name='collections_description_arrangement'
regularexpression='>

Arrangement

Organització

</phrase><phrase name='collections_description_scope' regularexpression='>
Scope

</phrase><phrase name='collections_details_header' regularexpression='>
Collection Manager

</phrase><phrase name='collections_findingaid' regularexpression='>
Finding Aid Information

Instrument de descripció

</phrase><phrase name='collections_findingaid_descrulesid'
regularexpression='>

Rules Used

Regles usades

</phrase><phrase name='collections_findingaid_findinglanguageid'
regularexpression='>

Written in

Escrit en

</phrase><phrase name='collections_findingaid_processinginfo'
regularexpression='>

Processing Info

Informació per procesar

</phrase><phrase name='collections_findingaid_publicationdate'
regularexpression='>

Publication Date

Data de publicació

</phrase><phrase name='collections_findingaid_publicationnote'
regularexpression='>

Pub Note

Nota de publicació

</phrase><phrase name='collections_findingaid_revisionhistory'
regularexpression='>

Revision History

Historia de les revisions

</phrase><phrase name='collections_genres' regexexpression="">
Genres

Suport ?;

</phrase><phrase name='collections_genres_allgenres' regexexpression="">
All Genres

Tots els suports

</phrase><phrase name='collections_genres_genresfor' regexexpression="">
Genres for Collection

Suports per col.lecció

</phrase><phrase name='collections_languages' regexexpression="">
Languages

Idiomes

</phrase><phrase name='collections_languages_alllanguages'
regexexpression="">
All Languages

Tots els idiomes

</phrase><phrase name='collections_languages_languagesfor'
regexexpression="">
Languages for Collection

Idiomes per col.lecció

</phrase><phrase name='collections_locations' regexexpression="">
Location Information

Informació de la ubicació

</phrase><phrase name='collections_locations_content' regexexpression="">
Content

contingut

</phrase><phrase name='collections_locations_extent' regexexpression="">
Extent

Extensió

</phrase><phrase name='collections_locations_locationid' regexexpression="">
Location

Ubicació

</phrase><phrase name='collections_locations_range' regexexpression="">
Range

rang

</phrase><phrase name='collections_locations_section' regexexpression="">
Section

Secció

</phrase><phrase name='collections_locations_shelf' regexexpression="">
Shelf

prestatge

</phrase><phrase name='collections_main_header' regexexpression="">
Collections Manager

Administrador de col.leccions

</phrase><phrase name='collections_other' regexexpression="">
Other Information

Altra informació

</phrase><phrase name='collections_other_othersnote' regexexpression="">

Other Note

Altres notes

</phrase><phrase name='collections_other_otherurl' regularexpression=''>
Other URL

Altres URL

</phrase><phrase name='collections_related' regularexpression=''>
Related Materials Information

Informació de materials relacionats

</phrase><phrase name='collections_related_origcopiesnote' regularexpression=''>
Orig/Copy Note

Notes ?;

</phrase><phrase name='collections_related_origcopiesurl'
regularexpression=''>
Orig/Copy URL

URL ?;

</phrase><phrase name='collections_related_preferredcitation' regularexpression=''>
Preferred Cit.

Citació (preferida o admesa)

</phrase><phrase name='collections_related_relatedmaterials' regularexpression=''>
Related Mat's

Materials relacionats

</phrase><phrase name='collections_related_relatedmaterialsurl' regularexpression=''>
Related Mat. URL

URL relacionada

</phrase><phrase name='collections_related_relatedpublications' regularexpression=''>
Related Pubs

Publicacions relacionades

</phrase><phrase name='collections_related_seperatedmaterials' regularexpression=''>
Separated Mat's

Materials relacionats

</phrase><phrase name='collections_restrictions' regularexpression=''>
Restrictions

restriccions

</phrase><phrase name='collections_restrictions_accessrestrictions'
regularexpression=''>
Access/General

Accés general

</phrase><phrase name='collections_restrictions_physicalaccess' regularexpression=''>
Physical

fisic

</phrase><phrase name='collections_restrictions_technicalaccess'
regularexpression=''>
Technical

tècnic

</phrase><phrase name='collections_restrictions_userrestrictions' regularexpression=''>
Use/Rights

Restriccions d'us

</phrase><phrase name='collections_returntolist' regularexpression=''>
Cancel Changes and Return to Collection List

Cancel·lar canvis i tornar a la llista de col·leccions

</phrase><phrase name='collections_subjects' regexexpression=''>
Subjects

Assumptes

</phrase><phrase name='collections_subjects_allsubjects' regexexpression=''>
All Subjects

Tots els Assumptes

</phrase><phrase name='collections_subjects_subjectsfor' regexexpression=''>
Subjects for Collection

Assumptes per col.leccions

</phrase><phrase name='configuration_administrativestylesheet'
regexexpression='Administrative Style Sheet'>
Administrative Style Sheet

Fulla d'estil administratiu

</phrase><phrase name='configuration_administrativewelcomemessage'
regexexpression='Administrative Welcome Message'>
Administrative Welcome Message

Missatge de benvinguda

</phrase><phrase name='configuration_classificationnumberminimumlength'
regexexpression='Classification Number Minimum Length'>
Classification Number Minimum Length

Longitud mínima del codi de classificació

</phrase><phrase name='configuration_collectionidentifierminimumlength'
regexexpression='Collection Identifier Minimum Length'>
Collection Identifier Minimum Length

Longitud mínima del identificador de la col.lecció

</phrase><phrase name='configuration_confirmresearcheraccounts'
regexexpression='Confirm Researcher Accounts'>
Confirm Researcher Accounts

Confirmació del compte d'investigador

</phrase><phrase name='configuration_databasestructureversion'
regexexpression='Database Structure Version'>
Database Structure Version

Versió de l'estructura de la base de dades

</phrase><phrase name='configuration_defaultlanguage'
regexexpression='Default Language'>
Default Language

Idioma per defecte

</phrase><phrase name='configuration_defaultrepository' regexexpression='Default
Repository'>
Default Repository

Arxiu per defecte

</phrase><phrase name='configuration_defaultstyle' regexexpression='Default
Style'>
Default Style

Estil per defecte

</phrase><phrase name='configuration_defaulttemplateset' regexexpression='Default
Template Set'>
Default Template Set

Plantilles per defecte

</phrase><phrase name='configuration_description' regexexpression=''>

Description

descripció

</phrase><phrase name='configuration_directive' regexexpression=''>

Directive

directiva

</phrase><phrase name='configuration_disabledmessage' regexexpression='Disabled Message'>

Disabled Message

Missatge inactivat

</phrase><phrase name='configuration_enableuserdefinedfields' regexexpression='Enable User Defined Fields'>

Enable User Defined Fields

Activar camps definits per l'usuari

</phrase><phrase name='configuration_header' regexexpression=''>

Archon Configuration

Configuració de l'Archon

</phrase><phrase name='configuration_installationid' regexexpression='Installation ID'>

Installation ID

ID d'instal·lació

</phrase><phrase name='configuration_invaliddirective' regexexpression=''>

Invalid Configuration Directive!

Directiva de configuració invàlida

</phrase><phrase name='configuration_loginbanner' regexexpression='Login Banner'>

Login Banner

Banner d'inici de sessió

</phrase><phrase name='configuration_nodatareturned' regexexpression=''>

No data was returned!

Cap dada retornada

</phrase><phrase name='configuration_nolistdatasource' regexexpression=''>

Data source for list does not exist!

No existeix font per aquest llistat!

</phrase><phrase name='configuration_previewlongmaxsize' regexexpression='Preview Long Max Size'>

Preview Long Max Size

Tamany màxim de visualització

</phrase><phrase name='configuration_previewshortmaxsize' regexexpression='Preview Short Max Size'>

Preview Short Max Size

Tamany màxim de visualització curta

</phrase><phrase name='configuration_publicenabled' regexexpression='Public Enabled'>

Public Enabled

Activat públic

</phrase><phrase name='configuration_relatedoptionmaxlength' regexexpression='Related Option Max Length'>

Related Option Max Length

Longitud màxima de la opció relacionada

</phrase><phrase name='configuration_sapassword' regexexpression='SA Password'>

SA Password

Contrasenya de l'administrador

</phrase><phrase name='configuration_searchbyclassification' regexexpression='Search By Classification'>

Search By Classification

Cerca per classificació

</phrase><phrase name='configuration_searchresultslimit' regexexpression='Search Results Limit'>

Search Results Limit

Limits dels resultats de la cerca

</phrase><phrase name='configuration_thumbnailwidthmedium' regexexpression='Thumbnail Width Medium'>

Thumbnail Width Medium

</phrase><phrase name='configuration_thumbnailwidthsmall' regexexpression='Thumbnail Width Small'>

Thumbnail Width Small

</phrase><phrase name='configuration_value' regexexpression=''>

Value

valor

</phrase><phrase name='copyright' regexexpression=''>
Copyright ©\$1 The University of Illinois at Urbana-Champaign

</phrase><phrase name='creators_bioghist' regexexpression=''>

Biographical/Historical Note

Nota bibliogràfica

</phrase><phrase name='creators_bioghistauthor' regexexpression=''>

Biographical/Historical Note Author

Autor de la nota bibliogràfica

</phrase><phrase name='creators_creatortypeid' regexexpression=''>

Creator Type

Tipus de productori

</phrase><phrase name='creators_dates' regexexpression=''>

Dates

</phrase><phrase name='creators_header' regexexpression=''>

Creator Manager

Administrador de productors

</phrase><phrase name='creators_lcnafcompliant' regexexpression=''>

LCNAF Compliant

</phrase><phrase name='creators_lcnafdates' regexexpression=''>

LCNAF-Compliant Dates

</phrase><phrase name='creators_name' regexexpression=''>

Name

Nom

</phrase><phrase name='creators_namefullerform' regexexpression=''>
Fuller Form of Name

</phrase><phrase name='creators_namevariants' regexexpression=''>
Name Variants

Variants del nom

</phrase><phrase name='creators_parentbody' regexexpression=''>
Parent Body

Entitat ?;

</phrase><phrase name='creators_relatedcreators' regexexpression=''>
Related Creators

Productors relacionats

</phrase><phrase name='creators_sources' regexexpression=''>
Sources for Biography or History

</phrase><phrase name='currentlevel' regexexpression=''>
Current Level

Nivell actual

</phrase><phrase name='database_databaseinfo' regexexpression=''>
Database Information

Informació de la base de dades

</phrase><phrase name='database_databaselogin' regexexpression=''>
Database Login

Login de la base de dades

</phrase><phrase name='database_databasename' regexexpression=''>
Database Name

Nom de la base de dades

</phrase><phrase name='database_databaseserver' regexexpression=''>
Database Server

Servidor de la base de dades

</phrase><phrase name='database_diskusage' regexexpression=''>
Disk Usage

Utilització de disc

</phrase><phrase name='database_export' regexexpression=''>
Export Database

Exportar la base de dades

</phrase><phrase name='database_exportshort' regexexpression=''>
Export

</phrase><phrase name='database_exporttofile' regexexpression=''>
Export Database to Archon SQL File

Exportar la base de dades a un fitxer SQL

</phrase><phrase name='database_header' regexexpression=''>
Database Management

Administrador de la base de dades

</phrase>

<phrase name='database_import' regexexpression=''>
Import

Importar

</phrase>
<phrase name='database_importdatabase' regexexpression=''>
Import Database
Importar base de dades

</phrase>
<phrase name='database_installed' regexexpression=''>
The following Import Utilities have been installed
Les següents utilitats d'importació han estat instal·lades

</phrase>
<phrase name='database_invalidutility' regexexpression=''>
Invalid Utility
Utilitat no vàlida

</phrase><phrase name='database_lastmodified' regexexpression=''>
Last Modified

Ultima modificació

</phrase><phrase name='database_loading' regexexpression=''>
Loading import utility, please wait...

Carregant la utilitat d'importació, esperar...

</phrase>
<phrase name='database_microsoftsql' regexexpression=''>
Microsoft SQL Server

</phrase>
<phrase name='database_modifiedby' regexexpression=''>
Modified By

Modificat per

</phrase>
<phrase name='database_mysql' regexexpression=''>
MySQL

</phrase>
<phrase name='database_nativesyntax' regexexpression=''>
Native SQL Syntax

</phrase>
<phrase name='database_requiresfiles' regexexpression=''>
This utility requires a file as input

Aquesta utilitat requereix un fitxer com input

</phrase>
<phrase name='database_rows' regexexpression=''>
Rows

files
</phrase>
<phrase name='database_selectincoming' regexexpression=''>
Select files in the incoming directory

Seleccionar fitxers al directori d'entrada

</phrase>
<phrase name='database_tableinformation' regexexpression=''>
Table Information

Informació de la taula

</phrase>
<phrase name='database_tablename' regexexpression=''>
Table Name

Nom de la taula

```
</phrase>  
<phrase name='database_uploadfile' regexexpression=''>  
Upload a File
```

Pujar un fitxer

```
</phrase>  
<phrase name='delete' regexexpression=''>  
Delete
```

Esborrar

```
</phrase><phrase name='digitallibrary_areyouare' regexexpression=''>  
This will delete this content, AND all files contained by this  
content.nnAre you sure you want to do this?
```

Això esborrarà el contenidor i tots els fitxers continguts. Esteu segur ?

```
</phrase><phrase name='digitallibrary_collectionlibrary_header'  
regexexpression=''>  
Digital Library Manager
```

Administrador de la llibreria digital

```
</phrase><phrase name='digitallibrary_common_collectioncontentid'  
regexexpression=''>  
Associated Collection
```

Col·lecció associada

```
</phrase>  
<phrase name='digitallibrary_common_contenturl' regexexpression=''>  
Content URL
```

URL del contingut

```
</phrase>  
<phrase name='digitallibrary_common_date' regexexpression=''>  
Date
```

```
</phrase>  
<phrase name='digitallibrary_common_enabled' regexexpression=''>  
Enable Web Output
```

Activar sortida web

```
</phrase>  
<phrase name='digitallibrary_common_identifier' regexexpression=''>  
Identifier
```

identificador

```
</phrase>  
<phrase name='digitallibrary_common_title' regexexpression=''>  
Title
```

```
</phrase>  
<phrase name='digitallibrary_creators' regexexpression=''>  
Creator Information
```

Informació del productori

```
</phrase><phrase name='digitallibrary_creators_allcreators' regexexpression=''>  
All Creators
```

Tots els productors

```
</phrase><phrase name='digitallibrary_creators_creatorsfor' regexexpression=''>  
Creators for Content
```

Productors del contingut

</phrase><phrase name='digitallibrary_creators_noprimary' regularexpression=''>
WARNING: No Primary Creator has been applied for this
digitallibrary.

Avis: No ha estat aplicat acp productor per aquesta llibreria digital

</phrase><phrase name='digitallibrary_detaileddescription' regularexpression=''>
Detailed Description

Descripció detallada

</phrase><phrase name='digitallibrary_detaileddescription_contributor'
regularexpression=''>
Contributor

</phrase><phrase name='digitallibrary_detaileddescription_physicaldescription'
regularexpression=''>
Physical Description

</phrase>
<phrase name='digitallibrary_detaileddescription_publisher' regularexpression=''>
Publisher

</phrase><phrase name='digitallibrary_detaileddescription_rightsstatement'
regularexpression=''>
Rights Statement

Enunciat dels drets

</phrase><phrase name='digitallibrary_detaileddescription_scope'
regularexpression=''>
Scope

abast

</phrase><phrase name='digitallibrary_files' regularexpression=''>
Upload Files

Pujar fitxers

</phrase><phrase name='digitallibrary_files_displayorder' regularexpression=''>
Display Order

Ordre de visualització

</phrase><phrase name='digitallibrary_files_filecontents'
regularexpression=''>
File

</phrase>
<phrase name='digitallibrary_files_mediatype' regularexpression=''>
Media Type

</phrase><phrase name='digitallibrary_files_storedigitalmetadata'
regularexpression=''>

You must store the digital metadata before uploading files.

Heu de gravar les metadades digitals abans de pujar els fitxers

</phrase>
<phrase name='digitallibrary_files_title' regularexpression=''>
Title

</phrase>
<phrase name='digitallibrary_files_uploadfiles' regularexpression=''>
Upload Files

</phrase>
<phrase name='digitallibrary_files_webenabled' regularexpression=''>
Web
Enabled

Web Activada

```
</phrase>  
<phrase name='digitallibrary_languages' regexexpression=''>  
    Languages
```

idiomes

```
</phrase>  
<phrase name='digitallibrary_languages_alllanguages'  
regexexpression=''>  
    All Languages
```

Tots els idiomes

```
</phrase><phrase name='digitallibrary_languages_languagesfor' regexexpression=''>  
    Languages for Content
```

Idiomes del contingut

```
</phrase>  
<phrase name='digitallibrary_locations' regexexpression=''>  
    Location Information
```

Informació de la ubicació

```
</phrase>  
<phrase name='digitallibrary_main_header' regexexpression=''>  
    Digital Library Manager
```

Administrador de la llibreria digital

```
</phrase>  
<phrase name='digitallibrary_subjects' regexexpression=''>  
    Subjects  
</phrase><phrase name='digitallibrary_subjects_allsubjects' regexexpression=''>  
    All Subjects
```

```
</phrase>  
<phrase name='digitallibrary_subjects_subjectsfor' regexexpression=''>  
    Subjects for Content
```

```
</phrase>  
<phrase name='ext' regexexpression=''>  
    Ext
```

```
</phrase>  
<phrase name='failedtoloadarray' regexexpression=''>  
    Failed to load object array!
```

Ha fracassat la pujada del array d'objectes

```
</phrase>  
<phrase name='filetypes_contenttype' regexexpression=''>  
    HTTP Content Type
```

Tipus de contingut HTTP

```
</phrase>  
<phrase name='filetypes_fileextensions' regexexpression=''>  
    File Extensions
```

Extensió del fitxer

```
</phrase>  
<phrase name='filetypes_filetype' regexexpression=''>  
    File Type
```

Tipus de fitxer

```
</phrase>  
<phrase name='filetypes_header' regexexpression=''>
```

File Types Manager

Administrador de tipus de fitxers

</phrase>

<phrase name='filetypes_mediatypeid' regularexpression=''>

Media Type

</phrase><phrase name='gdlibrarynotinstalled' regularexpression=''>

WARNING: The GD Library is not installed. Image thumbnails will not be created.

Avís: La llibreria GD no està instal·lada. No es poden crear thumbnails de les imatges

</phrase>

<phrase name='home_appointments_header' regularexpression=''>

This Week's Research Appointments

</phrase>

<phrase name='home_appointments_noappointments'

regularexpression=''>

No appointments scheduled for this week.

</phrase>

<phrase name='home_scratchpad_header' regularexpression=''>

Scratch Pad

Llibreta de notes (bloc de notes)

</phrase>

<phrase name='home_whosonline_header' regularexpression=''>

Who's Online

Qui està connectat

</phrase>

<phrase name='home_whosonline_lastseen' regularexpression=''>

Last Seen

ultim vist

</phrase>

<phrase name='home_whosonline_users' regularexpression=''>

Users

</phrase>

<phrase name='home_whosonline_viewusers' regularexpression=''>

View users active in last \$1 minutes

Veure els usuaris actius a l'últim minut

</phrase>

<phrase name='id' regularexpression=''>

ID

</phrase>

<phrase name='installid' regularexpression=''>

Installation ID

ID d'instal·lació

</phrase>

<phrase name='invalidids' regularexpression=''>

Invalid ID(s) given!

Heu donat un ID invalid!

</phrase>

<phrase name='languages_displayorder' regularexpression=''>

Display Order

</phrase>

<phrase name='languages_header' regexexpression=''>
Languages Manager

Administrador d'idiomes

</phrase>

<phrase name='languages_languelong' regexexpression=''>
Language

</phrase>

<phrase name='languages_languageshort' regexexpression=''>
Language Abbreviation

</phrase>

<phrase name='lanuchlanguagemanager' regexexpression=''>
Launch Language Manager

Arrencar l'administrador d'idiomes

</phrase>

<phrase name='launchcreatormanager' regexexpression=''>
Launch Creator Manager

</phrase>

<phrase name='launchlanguagesmanager' regexexpression=''>
Launch Languages Manager

</phrase>

<phrase name='launchsubjectmanager' regexexpression=''>
Launch Subject Manager

</phrase>

<phrase name='levelcontainers_eadlevel' regexexpression=''>
EAD Level

Nivell d'EAD

</phrase>

<phrase name='levelcontainers_globalnumbering' regexexpression=''>
Global Numbering

Numeració global

</phrase>

<phrase name='levelcontainers_header' regexexpression=''>
Level/Container Manager

Administrador de nivell/contenidor

</phrase>

<phrase name='levelcontainers_intellectuallevel' regexexpression=''>
Intellectual Level

Nivell intel·lectual

</phrase>

<phrase name='levelcontainers_levelcontainer' regexexpression=''>
Level/Container

</phrase>

<phrase name='levelcontainers_physicalcontainer' regexexpression=''>
Physical Container

</phrase>

<phrase name='levelcontainers_primaryeadlevel' regexexpression=''>
Primary EAD Level

</phrase>

<phrase name='locations_collectionsstored' regexexpression=''>
Collections Stored

</phrase>
<phrase name='locations_extentinformation' regexexpression=''>
Extent Information

Informació de l'abast

</phrase>
<phrase name='locations_header' regexexpression=''>
Location Manager

Administrador de les ubicacions

</phrase>
<phrase name='locations_location' regexexpression=''>
Location

ubicació

</phrase>
<phrase name='loggedinas' regexexpression=''>
You are logged in as

Esteu connectats com

</phrase>
<phrase name='logout' regexexpression=''>
Log Out

Sortir

</phrase>
<phrase name='materialtypes_header' regexexpression=''>
Material Types Manager

Administrador de tipus de documents

</phrase>
<phrase name='materialtypes_materialtype' regexexpression=''>
Material Type

</phrase>
<phrase name='module' regexexpression=''>
Module

<phrase name='modulecategories_archonadministration' regexexpression=''>
Archon Administration

Administració d'Archon

</phrase>
<phrase name='modulecategories_collectionsmanagement' regexexpression=''>
Collections Management

Administració de col·leccions

</phrase>
<phrase name='modulecategories_digitallibrarymanagement' regexexpression=''>
Digital Library Management

</phrase>
<phrase name='modulecategories_globalcomponents' regexexpression=''>
Global Components

</phrase>
<phrase name='modulecategories_helpandsupport' regexexpression=''>
Help & Support

</phrase>
<phrase name='modulecategories_research' regexexpression=''>
Research

</phrase>
<phrase name='modulecategory' regexexpression=''>
Module Category
</phrase>
<phrase name='modules_about' regexexpression=''>
About Archon
</phrase>
<phrase name='modules_appointmentpurposes' regexexpression=''>
Appointment Purposes Manager
</phrase>
<phrase name='modules_appointments' regexexpression=''>
Appointments Manager

Administrador de cites

</phrase>
<phrase name='modules_changepassword' regexexpression=''>
Change My Password

Canviar la contrasenya

</phrase>
<phrase name='modules_classification' regexexpression=''>
Classification Manager

Administrador del quadre de classificació

</phrase>
<phrase name='modules_collections' regexexpression=''>
Collections Manager
</phrase>
<phrase name='modules_configuration' regexexpression=''>
Archon Configuration
</phrase>
<phrase name='modules_creators' regexexpression=''>
Creator Manager

Administrador de productors

</phrase>
<phrase name='modules_database' regexexpression=''>
Database Management

Administrador de la base de dades

</phrase>
<phrase name='modules_digitallibrary' regexexpression=''>
Digital Library Manager
</phrase>
<phrase name='modules_filetypes' regexexpression=''>
File Types Manager

Administrador de tipus de fitxer

</phrase>
<phrase name='modules_languages' regexexpression=''>
Languages Manager

Adminsitrador d'idiomes

</phrase>
<phrase name='modules_levelcontainers' regexexpression=''>
Level/Container Manager
</phrase>

<phrase name='modules_locations' regexexpression=''>
Location Manager

</phrase>

<phrase name='modules_materialtypes' regexexpression=''>
Material Types Manager

</phrase>

<phrase name='modules_phrases' regexexpression=''>
Phrase Manager

</phrase>

<phrase name='modules_repositories' regexexpression=''>
Repository Manager

Gestor d'arxius

</phrase>

<phrase name='modules_research' regexexpression=''>
Research Manager

</phrase>

<phrase name='modules_researchers' regexexpression=''>
Researcher Account Manager

Administrador de contes d'investigador

</phrase>

<phrase name='modules_researchertypes' regexexpression=''>
Researcher Types Manager

Administrador de tipus d'investigador

</phrase>

<phrase name='modules_sessions' regexexpression=''>
Sessions Manager

Administrador de sessions

</phrase>

<phrase name='modules_subjects' regexexpression=''>
Subject/Genre Manager

Administrador de tipus de suport

</phrase>

<phrase name='modules_usergroups' regexexpression=''>
Usergroup Manager

</phrase>

<phrase name='modules_users' regexexpression=''>
User Manager

</phrase>

<phrase name='module_aboutarchon' regexexpression=''>
About Archon

</phrase>

<phrase name='module_archonconfiguration' regexexpression=''>
Archon Configuration

</phrase>

<phrase name='module_changemypassword' regexexpression=''>
Change My Password

</phrase>

<phrase name='module_classificationmanager' regexexpression=''>
Classification Manager

Administrador de classificació

</phrase>
<phrase name='module_collectionsmanager' regexexpression=''>
Collections Manager

Administrador de les col.leccions

</phrase>
<phrase name='module_databasemanagement' regexexpression=''>
Database Management

</phrase>
<phrase name='module_digitallibrarymanager' regexexpression=''>
Digital Library Manager

</phrase>
<phrase name='module_levelcontainermanager' regexexpression=''>
Level/Container Manager

</phrase>
<phrase name='module_locationmanager' regexexpression=''>
Location Manager

</phrase>
<phrase name='module_materialtypesmanager' regexexpression=''>
Material Types Manager

</phrase>
<phrase name='module_phrasemanager' regexexpression=''>
Phrase Manager

</phrase>
<phrase name='module_sessionsmanager' regexexpression=''>
Sessions Manager

</phrase>
<phrase name='module_usergroupmanager' regexexpression=''>
Usergroup Manager

</phrase>
<phrase name='module_usermanager' regexexpression=''>
User Manager

</phrase>
<phrase name='na' regexexpression=''>
N/A

</phrase>
<phrase name='next' regexexpression=''>
Next ->

Següent->

</phrase>
<phrase name='no' regexexpression=''>
No

</phrase>
<phrase name='nocollectionspecified' regexexpression=''>
No collection specified.

No s'han especificat col.leccions

</phrase>
<phrase name='noframes' regexexpression=''>

Your browser does not support frames. Please get one that does!

El vostre navegador no suporta frames. Feu servir un que en suporti!

</phrase>

<phrase name='noids' regexexpression=''>

No IDs specified!

No heu especificat cap ID

</phrase>

<phrase name='nomsgframe' regexexpression=''>

Can't find msg frame!

No es pot trobar cap frame de missatge

</phrase>

<phrase name='or' regexexpression=''>

Or

o

</phrase><phrase name='organizedunder' regexexpression=''>

are currently organized under

esteu actualment organitzat sota

</phrase>

<phrase name='permissionsdiscrepancy' regexexpression=''>

Note: Any highlighted modules indicate there is a discrepancy in permissions between selected users or usergroups. No permissions will be checked by default (although they are actually set), and any changes made will affect all selected users or usergroups.

Nota: els mòduls indicats aquí discrepen en permisos entre els usuaris o grups seleccionats. Per defecte no es comprobaran els permisos (ja que actualment estan assignats), i cap dels canvis efectuats afectarà als usuaris o grups seleccionats

</phrase><phrase name='permissionseditor' regexexpression=''>

Advanced Permissions Editor

Editor avançat de permisos

</phrase>

<phrase name='permissions_add' regexexpression=''>

Add

</phrase>

<phrase name='permissions_delete' regexexpression=''>

Delete

</phrase>

<phrase name='permissions_fullcontrol' regexexpression=''>

Full Control

Control total

</phrase>

<phrase name='permissions_read' regexexpression=''>

Read

Llegir

</phrase>

<phrase name='permissions_update' regexexpression=''>

Update

actualitzar

</phrase>

<phrase name='phrases_header' regexexpression=''>

Phrase Manager

</phrase>

<phrase name='phrases_languageid' regexexpression=''>

Language
</phrase>
<phrase name='phrases_phrasename' regexexpression=''>
Phrase Name
</phrase>
<phrase name='phrases_phrasetypeid' regexexpression=''>
Phrase Type
</phrase>
<phrase name='phrases_phrasevalue' regexexpression=''>
Phrase Value
</phrase>
<phrase name='phrases_regexexpression' regexexpression=''>
Regular Expression
</phrase>
<phrase name='pleaseselectparent' regexexpression=''>
Please select a new parent.

Seleccioneu un nou origen

</phrase>
<phrase name='pleasewait' regexexpression=''>
Please wait...

Espereu..

</phrase>
<phrase name='primary' regexexpression=''>
(Primary)
</phrase>
<phrase name='releasedate' regexexpression=''>
Release Date

Data de publicació (o data d'edició)

</phrase>
<phrase name='repositories_address' regexexpression=''>
Address
</phrase>
<phrase name='repositories_administrator' regexexpression=''>
Name of Administrator
</phrase>
<phrase name='repositories_city' regexexpression=''>
City, State, ZIP Code
</phrase>
<phrase name='repositories_code' regexexpression=''>
MARC Organization Code
</phrase>
<phrase name='repositories_email' regexexpression=''>
E-Mail
</phrase>
<phrase name='repositories_fax' regexexpression=''>
Fax Number
</phrase>
<phrase name='repositories_header' regexexpression=''>
Repository Manager
Gestor d'arxius

</phrase>
<phrase name='repositories_name' regexexpression=''>
Repository Name
Nom de l'arxiu
</phrase>
<phrase name='repositories_phone' regexexpression=''>
Phone Number
</phrase>
<phrase name='repositories_url' regexexpression=''>
Website URL
</phrase>
<phrase name='researchers_address' regexexpression=''>
Address
</phrase>
<phrase name='researchers_city' regexexpression=''>
City, State, ZIP Code
</phrase>
<phrase name='researchers_confirmpassword' regexexpression=''>
Confirm Password
</phrase>
<phrase name='researchers_email' regexexpression=''>
E-Mail
</phrase>
<phrase name='researchers_firstname' regexexpression=''>
First Name
</phrase>
<phrase name='researchers_header' regexexpression=''>
Researchers Account Manager
Administrador de comptes d'investigadors
</phrase>
<phrase name='researchers_lastname' regexexpression=''>
Last Name
Cognom
</phrase>
<phrase name='researchers_password' regexexpression=''>
Password
</phrase>
<phrase name='researchers_pending' regexexpression=''>
Account Verification Pending

Verificació de compte pendent

</phrase>
<phrase name='researchers_phone' regexexpression=''>
Phone Number
</phrase>
<phrase name='researchertypes_header' regexexpression=''>
Researcher Types Manager
</phrase>
<phrase name='researchertypes_researchertype' regexexpression=''>
Researcher Type
</phrase>

<phrase name='results' regexexpression="">

Results

</phrase>

<phrase name='returntomanager' regexexpression="">

Return to Manager

Tornar a l'administrador

</phrase>

<phrase name='root' regexexpression="">

Root

Root (o inici)

</phrase><phrase name='search' regexexpression="">

Search

cercar

</phrase><phrase name='searchfilter' regexexpression="">

Search Filter

Filtre per cercar

</phrase>

<phrase name='selectanitem' regexexpression="">

Select an item to transfer!

Seleccionar un item per transferir!

</phrase>

<phrase name='selectone' regexexpression="">

(Select One)

(Selecioneu un)

</phrase>

<phrase name='selectparent' regexexpression="">

(Select Parent)

</phrase>

<phrase name='sessions_activesession' regexexpression="">

User marked with an asterisk (*) is your active session.

L'usuari marcat amb un asterisc és la vostra sessió activa

</phrase>

<phrase name='sessions_administrators' regexexpression="">

Administrators

</phrase>

<phrase name='sessions_expiration' regexexpression="">

Expiration

Caduca

</phrase>

<phrase name='sessions_header' regexexpression="">

Sessions Manager

</phrase>

<phrase name='sessions_persistent' regexexpression="">

Persistent

</phrase>

<phrase name='sessions_remotehost' regexexpression="">

Remote Host

Host remot

</phrase>

<phrase name='sessions_researchers' regexexpression="">

Researchers
</phrase>
<phrase name='sessions_user' regexexpression=''>
User
</phrase>
<phrase name='show' regexexpression=''>
Show
</phrase>
<phrase name='showonlycollectionsfrom' regexexpression=''>
Show only collections from
</phrase>
<phrase name='subjects_header' regexexpression=''>
Subject/Genre Manager
Administrador de tipus de suport
</phrase>
<phrase name='subjects_subject' regexexpression=''>
Subject
</phrase>
<phrase name='subjects_subjectsourceid' regexexpression=''>
Subject Source
</phrase>
<phrase name='subjects_subjecttypeid' regexexpression=''>
Subject Type
</phrase>
<phrase name='subjects_subjectunder' regexexpression=''>
Subject under
</phrase>
<phrase name='subjects_transfer_header' regexexpression=''>
Transfer Subjects
</phrase>
<phrase name='systemdefault' regexexpression=''>
System Default
</phrase>
<phrase name='thefollowing' regexexpression=''>
The following
</phrase>
<phrase name='transfer' regexexpression=''>
Transfer
</phrase>
<phrase name='transferto' regexexpression=''>
Transfer to
Transferir a
</phrase>
<phrase name='update' regexexpression=''>
Update
actualització
</phrase>
<phrase name='updatingpermissionsfor' regexexpression=''>
Updating permissions for
Actualitzant permisos per

</phrase>
 <phrase name='usergroups_defaultpermissions' regularexpression=''>
 Default Permissions
 Permisos per defecte
 </phrase>
 <phrase name='usergroups_header' regularexpression=''>
 Usergroup Manager
 </phrase>
 <phrase name='usergroups_permissionseditor_header' regularexpression=''>
 Advanced Permissions Editor
 Editor avançat de permisos
 </phrase>
 <phrase name='usergroups_usergroup' regularexpression=''>
 Usergroup
 Grup d'usuari
 </phrase> <phrase name='usersinsameusergroup' regularexpression=''>
 In order to customize permissions for multiple users simultaneously, the users must be
 in the same usergroup.
**Per personalitzar els permisos simultaneament per molts usuaris, els usuaris han d'estar
 en el mateix grup**

</phrase><phrase name='users_confirmpassword' regularexpression=''>
 Confirm Password
 Confirmar contrasenya
 </phrase>
 <phrase name='users_displayname' regularexpression=''>
 Display Name
 Nom a mostrar
 </phrase><phrase name='users_header' regularexpression=''>
 User Manager
 Administrador d'usuaris
 </phrase><phrase name='users_locked' regularexpression=''>
 Lock Account
 Conte bloquejada (o bloquejar el conte)
 </phrase><phrase name='users_login' regularexpression=''>
 Login
 </phrase><phrase name='users_password' regularexpression=''>
 Password
 </phrase><phrase name='users_permissionseditor_header'
 regularexpression=''>
 Advanced Permissions Editor
 </phrase><phrase name='users_repositoryid' regularexpression=''>
 Primary Repository
 Arxiu principal
 </phrase>
 <phrase name='users_repositorylimit' regularexpression=''>
 Limit User to only this repository's collections
Limitar a l'usuari a les col.leccions d'aquest arxiu
 </phrase>
 <phrase name='users_usergroupid' regularexpression=''>

Usergroup

Grup d'usuaris

</phrase>

<phrase name='yes' regularexpression=''>

Yes

</phrase>

</phrasetype><phrasetype name='Class Name'>

<phrase name='cart' regularexpression='Cart'>

Cart

</phrase>

<phrase name='classification' regularexpression='Classification'>

Classification

</phrase>

<phrase name='collection' regularexpression='Collection'>

Collection

</phrase>

<phrase name='collections' regularexpression='Collections'>

Collections

</phrase>

<phrase name='configuration' regularexpression='Configuration'>

Configuration

</phrase>

<phrase name='confirmationemail' regularexpression=''>

confirmation e-mail

</phrase><phrase name='content' regularexpression='Content'>

Content

</phrase><phrase name='creator' regularexpression='Creator'>

Creator

productor

</phrase><phrase name='creators' regularexpression='Creators'>

Creators

productors

</phrase><phrase name='creatortype' regularexpression='CreatorType'>

Creator Type

Tipus de productor

</phrase>

<phrase name='descriptiverules' regularexpression='DescriptiveRules'>

Descriptive Rules

Regles de descripció

</phrase>

<phrase name='digitalcontent' regularexpression='DigitalContent'>

Digital Content

Contingut digital

</phrase>

<phrase name='digitallibraries' regularexpression='DigitalLibraries'>

Digital Libraries

</phrase>

<phrase name='digitallibrary' regularexpression='DigitalLibrary'>

Digital Library

</phrase>

<phrase name='digitallibrarycontent' regexexpression='DigitalLibraryContent'>
 Digital Library Content
</phrase>
<phrase name='eadelement' regexexpression='EADElement'>
 EAD Element
</phrase>
<phrase name='extentunits' regexexpression='ExtentUnits'>
 Extent Units
</phrase>
<phrase name='file' regexexpression='File'>
 File
fitxer
</phrase>
<phrase name='filecontents' regexexpression='FileContents'>
 File Contents
Contingut del fitxer
</phrase>
<phrase name='files' regexexpression='Files'>
 Files
fitxers
</phrase>
<phrase name='filetype' regexexpression='FileType'>
 File Type
Tipus de fitxer
</phrase>
<phrase name='language' regexexpression='Language'>
 Language
</phrase>
<phrase name='languages' regexexpression='Languages'>
 Languages
</phrase>
<phrase name='levelcontainer' regexexpression='LevelContainer'>
 Level/Container
</phrase>
<phrase name='location' regexexpression='Location'>
 Location
</phrase>
<phrase name='locationentries' regexexpression='LocationEntries'>
 Location Entries
</phrase>
<phrase name='locationentry' regexexpression='LocationEntry'>
 Location Entry
</phrase>
<phrase name='materialtype' regexexpression='MaterialType'>
 Material Type
</phrase>
<phrase name='mediatype' regexexpression='MediaType'>
 Media Type
</phrase>
<phrase name='module' regexexpression='Module'>

Module

Mòdul

</phrase>

<phrase name='modulecategory' regularexpression='ModuleCategory'>

Module Category

Categoria del mòdul

</phrase>

<phrase name='phrase' regularexpression='Phrase'>

Phrase

</phrase>

<phrase name='phrasetype' regularexpression='PhraseType'>

Phrase Type

</phrase>

<phrase name='repository' regularexpression='Repository'>

Repository

Arxiu

</phrase>

<phrase name='researcher' regularexpression='Researcher'>

Researcher

Investigador

</phrase>

<phrase name='researchertype' regularexpression='ResearcherType'>

Researcher Type

</phrase>

<phrase name='session' regularexpression='Session'>

Session

</phrase>

<phrase name='subject' regularexpression='Subject'>

Subject

</phrase>

<phrase name='subjects' regularexpression='Subjects'>

Subjects

</phrase>

<phrase name='subjectsource' regularexpression='SubjectSource'>

Subject Source

</phrase>

<phrase name='subjecttype' regularexpression='SubjectType'>

Subject Type

</phrase><phrase name='user' regularexpression='User'>

User

</phrase>

<phrase name='userdefinedfield' regularexpression='UserDefinedField'>

User-Defined Field

Camp definit pel usuari

</phrase>

<phrase name='userfields' regularexpression='UserFields'>

User Fields

Camps d'usari

</phrase><phrase name='usergroup' regularexpression='Usergroup'>

Usergroup

Grup

</phrase>

</phrasetype> <phrasetype name='Description'>

<phrase name='about_header' regexexpression="">

This page provides information about Archon and a list of credits for those who helped with product development.

Aquesta plana proveeix informació de l' Archon i una llista de credits ...

</phrase>

<phrase name='appointmentpurposes_appointmentpurpose' regexexpression="">

Use this field to describe a purpose for a researcher appointment.

Fer servir aquest camp per descriure el motiu d'uns cita d'investigador

</phrase>

<phrase name='appointmentpurposes_header' regexexpression="">

The Appointment Purposes Manager is used to describe the different purposes for a research appointment may be scheduled.

L'administrador de motius de citas s'utilitza per descriure els diferents motius per programar una cita d'investigador

</phrase>

<phrase name='appointments_appointmentpurposeid' regexexpression="">

Use this field to specify the purpose for the research appointment.

Fer servir aquest camp per especificar el motiu d'una cita d'investigador

</phrase>

<phrase name='appointments_archivistcomments' regexexpression="">

Use this field to leave miscellaneous comments about the research appointment.

Fer servir aquest camp per comentaris d'una cita d'investigador

</phrase>

<phrase name='appointments_arrivaltime' regexexpression="">

Use this field to specify the arrival time of a researcher during his/her appointment.

Fer servir aquest camp ..

</phrase>

<phrase name='appointments_departuretime' regexexpression="">

Use this field to specify the departure time of a researcher from his/her appointment.

Fer servir aquest camp ..

</phrase>

<phrase name='appointments_header' regexexpression="">

The Appointments Manager is used to schedule appointments for a researcher's visit.

L'Administrador de cites es fa servir per

Use the buttons with green arrows to indicate that the archival materials have been retrieved for the researcher's use. Use the buttons with red arrows to indicate that the archival materials have been returned to their storage location. The buttons next to the appointment entry will retrieve or return all materials for the appointment, and the buttons next to the collection title will retrieve or return all requested materials for that collection.

</phrase>

<phrase name='appointments_researchercomments' regexexpression="">

This field contains miscellaneous comments from the researcher that scheduled the appointment.

</phrase>

<phrase name='appointments_researcherid' regexexpression=''>

Use this menu to select the researcher for the appointment.

Usar aquest menú per seleccionar l'investigador per la cita

</phrase>

<phrase name='appointments_submittime' regexexpression=''>

This field contains the submission time of the appointment request.

</phrase>

<phrase name='appointments_topic' regexexpression=''>

Use this field to specify the subject being studied during the research appointment.

</phrase>

<phrase name='changepassword_confirmnewpassword' regexexpression=''>

Re-enter your new password. It must match the value entered in the previous field.

</phrase>

<phrase name='changepassword_currentpassword' regexexpression=''>

Enter your current password.

Entreu la vostra contrasenya

</phrase>

<phrase name='changepassword_header' regexexpression=''>

Use this page to change your current password to a new password.

Any combination of alphanumeric characters can be used.

</phrase>

<phrase name='changepassword_newpassword' regexexpression=''>

Use this field to set a new password.

</phrase>

<phrase name='classification_creatorid' regexexpression=''>

This field shows a list of creators. Choose the correct creator for the classification being added or updated.

</phrase>

<phrase name='classification_creatorsearch' regexexpression=''>

Type in this field to filter the list of creators, then double click a creator name to link it to the classification as an authority record.

</phrase>

<phrase name='classification_header' regexexpression=''>

Use of the 'Classification Manager' is optional. It may be used to develop a hierarchy, such as record groups and subgroups. (Once a hierarchy is established, the Collection Manager is used to nest collections in the hierarchy.) Use this interface to add new classifications, nest sub-classifications within an existing level (by double clicking a classification title), or edit an existing title (by single clicking the title).

</phrase>

<phrase name='classification_number' regexexpression=''>

Use this field to record the number assigned to the classification (e.g. record group or subgroup) being established or updated.

</phrase>

<phrase name='classification_title' regexexpression=''>

Use this field to record or edit the title (e.g. the name of the record group or subgroup) of the classification level being added or updated.

</phrase>

<phrase name='classification_transfer_header' regexexpression=''>

Use this manager to move classifications into different positions within the hierarchy. To do this, use the menu at the bottom to choose a new parent from within the current location in the hierarchy. You can also change to a location higher up by clicking on one of the classifications listed.

</phrase>

<phrase name='collections_acquisition' regexexpression=''>

Open this section to record information about the dates and manner of acquisition, as well as the source of acquisition and custodial history.

</phrase>

<phrase name='collections_acquisition_accrualinfo' regexexpression=''>

Use this field to record information regarding anticipated additions to the collection, or information regarding additions that are already in the custody of the repository (See DACS Rule 5.4 for more information on the use of this element).

Useu aquest camp per gravar informació referent a increments anticipats a la col.lecció, o informació referent a increments que ja estan a l'arxiu(veure DACS 5.4 per mes informació d'aquest elemnt)

</phrase>

<phrase name='collections_acquisition_acquisitiondate'

regexexpression=''>

Use these fields to record, in mm/dd/yy format, the date when materials in the collection were first received. This information will be recorded in the MARC and EAD fields for acquisition information as follows: "The materials were acquired by [repository name] on [date]."

</phrase>

<phrase name='collections_acquisition_acquisitionmethod'

regexexpression=''>

Use this field to identify the source from which the repository directly acquired the materials being described, as well as the date of acquisition, the method of acquisition, and other relevant information, if such information is not included in other Archon fields for acquisition information (See DACS Rule 5.2 for more information).

Fer servir aquest camp per identificar la font de la que l'arxiu adquireix els materials ...

</phrase>

<phrase name='collections_acquisition_acquisitionsource'

regexexpression=''>

Use this field to record the source from which the repository directly acquired the materials being described (DACS rule 5.2).

Fer servir aquest camp per identificar la font de la que l'arxiu adquireix els materials descrits (DACS 5.2)

```
</phrase>  
<phrase name='collections_acquisition_appraisalinfo'  
regularexpression='>
```

Use this field to record information about the rationale for appraisal decisions, destruction actions, and disposition schedules that are relevant to understanding and use of the materials being described (See DACS Rule 6.3 for more information).

Appraisal=avaluació

```
</phrase>  
<phrase name='collections_acquisition_custodialhistory' regularexpression='>
```

Use this field to provide information on changes of ownership or custody of the material being described, from the time it left the possession of the creator until it was acquired by the repository, that is significant for understanding its authenticity, integrity, and interpretation (See DACS Rule 5.1 for more information).

```
</phrase>  
<phrase name='collections_addnew' regularexpression='>
```

Use the 'Collections Manager' to create new collection records and edit existing ones. Collections may be grouped hierarchically according to classifications established in the Classification Manager.

```
</phrase>  
<phrase name='collections_common_classificationid'  
regularexpression='>
```

Use this drop-down to select a 'classification,' such as a record groups, into which you may sort materials to relate them by provenance, function, or general subject. When a classification is selected, a list of associated subclassifications (if any) will appear, so that the collections may be further sorted into subgroups.

```
</phrase>  
<phrase name='collections_common_collectionidentifier'  
regularexpression='>
```

Use this field to record a unique identifier assigned to the collection. (If the classification manger is being used by your repository, the information recorded here is used in conjunction with the classification ids selected above to constitute the unique identifier.)

Fer servir aquest camp per gravar un únic identificador assignat a la col.lecció(si en l'arxiu es fa servir el gestor de classificació, la informació gravada aquí serà usada amb conjunció ...

```
</phrase>  
<phrase name='collections_common_enabled' regularexpression='>
```

Changing this radio button to 'no' will suppress the public view of the collection's summary record and finding aid.

Camviar aquest butó a "no" suprimeix la vista pel públic del índex de registres de l'instrument d e descripció

```
</phrase>
```

<phrase name='collections_common_extent' regexexpression='>

Use this field to record the units of measure which most accurately represents the overall extent of the collection. Additional information about the collection's extent can be provided in the Alternate Extent Statement Field in the collection description area (See DACS Rule 2.5 for more information).

</phrase>

<phrase name='collections_common_findingaidauthor' regexexpression='>

Use this field to record the name or names of the individuals responsible for preparing this descriptive record.

</phrase>

<phrase name='collections_common_inclusivedates' regexexpression='>

Use this field to record the date(s) that pertain to the creation, assembly, or accumulation of the materials being described. As necessary, use a single date, span of dates, or comma separated list of dates and/or date spans. (See DACS Rule 2.4 for more information.)

</phrase>

<phrase name='collections_common_materialtypeid' regexexpression='>

Use this field to record the basic 'type' of materials being described (e.g. official records, personal papers, or publications). Additional types can be added by editing the table 'tblCol_MaterialTypes' in the database on the database server where Archon is installed.)

</phrase>

<phrase name='collections_common_normaldates' regexexpression='>

Use this field to record a single year or the first and last year covered by the materials in the collection. Normally this field will be automatically completed when you enter the inclusive dates. The information in this field is required for MARC output of the collection record.

</phrase>

<phrase name='collections_common_predominantdates' regexexpression='>

Use this field to indicate the dates pertaining to the majority of the documents in the collection being described, when those differ significantly from the inclusive dates. In other words, this field is used to provide 'predominant' or 'bulk' dates. (There is no need to record the word 'predominant' or 'bulk', as it will automatically be added to the descriptive output.)

</phrase>

<phrase name='collections_common_repositoryid' regexexpression='>

Use this drop-down list to select the repository that manages the collection being added or updated.

</phrase>

<phrase name='collections_common_sorttitle' regexexpression='>

Use this field to record a title which is used for sorting purposes when displaying results to users This is useful with collection titles that begin with "a," "an," or "the".

</phrase>

<phrase name='collections_common_templateset' regexexpression=''>

This drop-down box lists 'templates' that will determine the page layout of collections information in the public interface. If the default template does not provide an acceptable output, select another template. (Additional templates can be designed and added to the templates folder on the webserver where Archon is installed.)

</phrase>

<phrase name='collections_common_title' regexexpression=''>

Use this field to record a word or phrase by which the material being described is known or can be identified. A title may be formal or supplied. Do not include the dates. This is a required field, and maps to filed 100 or 110 in the MARC output. (See DACS Rule 2.3 for complete rules on forming titles.)

</phrase>

<phrase name='collections_content_date' regexexpression=''>

Enter the date(s) associated with the materials you are describing at the current level of description.

</phrase>

<phrase name='collections_content_description' regexexpression=''>

Enter an expanded description (scope and content note) of the materials being described at this level of description.

</phrase>

<phrase name='collections_content_header' regexexpression=''>

Use the 'Content Manager' to add or edit subordinate components within a collection record, such as series, boxes, folders, or items..Use this interface to create new content. Enter deeper into the hierarchy of existing content by double-clicking the title of a piece of content. Edit existing content by single-clicking the title of a piece of content.

</phrase>

<phrase name='collections_content_levelcontainerid' regexexpression=''>

This drop-down box lists levels of description and container types. Use it to choose the level and/or type of container appropriate for the level of description or container you are adding or editing.

For "physical only" containers, you will NOT be able to record any descriptive information other than Title and Dates. Please note that these title and dates are provided for convenience only, and will NOT be recorded in the EAD output. Description of materials in a physical container MUST take place by nesting content within the the container after double clicking the container in the "Content Contained by" box.

</phrase>

<phrase name='collections_content_levelcontainernumber' regexexpression=''>

Use this field to record the sequential order of the level or container you are adding or updating. Multiple entries can be created at once by separating numbers with commas and/or hyphens (i.e. 1,3,7-16,24).

</phrase>

<phrase name='collections_content_title' regexexpression=''>

Use this field to record a title for the materials being described at the current level of description. This field maps to the <unittitle> element in the EAD output, in the <dsc>, at the appropriate level.

</phrase>

<phrase name='collections_content_userfields_eadelementid' regexexpression=''>

Use this drop-down box to specify the type of element that the user-defined field will be mapped to in Archon's EAD output.

</phrase>

<phrase name='collections_content_userfields_title' regexexpression=''>

Provide a label or column heading that will appear with the user defined field (in both the public website and the EAD output). For example, if you are mapping a user defined field to the EAD creator element, and using it to record the composer of a musical work, set the label to "Composer".

</phrase>

<phrase name='collections_content_userfields_value' regexexpression=''>

Enter the text of the user defined field. This value will be mapped into the EAD element specified with the head or label specified in the label/head field.

</phrase>

<phrase name='collections_creators' regexexpression=''>

Open this section to link creator authority records to the collection.

Obrir aquesta secció per relacionar authority records a la col.lecció

</phrase>

<phrase name='collections_creators_arrows' regexexpression=''>

After highlighting a creator name, use the right arrow to link it to the current collection. Use the left arrow to unlink the creator.

CTRL-click selects multiple creators and SHIFT-click selects a range of items.

</phrase>

<phrase name='collections_creators_creatorsearch' regexexpression=''>

Use the upper box to filter names from the master list of creators, then double click a creator name from the filtered list (or use the arrows) to apply it to the collection. The first creator to appear in the right hand list will be identified as the primary creator of the collection.

</phrase>

<phrase name='collections_description' regexexpression=''>

Open this section to record descriptive information, such as a scope and content, arrangement note, or alternate extent statement for the collection.

Obrir aquesta secció per gravar informació descriptiva, com abast i contingut, notes d'organització, o comentari alternatiu per la col.lecció

</phrase>

<phrase name='collections_description_altextentstatement' regexexpression=''>

Use this field to record an alternate or expanded statement regarding the extent and physical nature of the materials being described. (See

DACS Rule 2.5 for more information.)

</phrase>

<phrase name='collections_description_arrangement' regexexpression=''>

Use this field to provide a short note regarding the order of the materials or to identify the aggregations of archival material, their relationships, or the sequence of documents within them. (See DACS Rule 3.2 for more information.)

</phrase>

<phrase name='collections_description_scope' regexexpression=''>

Use this field to provide a scope note, i.e. information about the overall nature of the materials and activities reflected in the collection, in order to enable users to judge its potential relevance. (See DACS Rule 3.1 for more information.)

</phrase>

<phrase name='collections_details_header' regexexpression=''>

Use the 'Collections Manager' to create new collection records and edit existing ones. Collections may be grouped hierarchically according to classifications established in the Classification Manager. Click the Content Manager button to create a finding aid or inventory, or to describe the subordinate components of a collection, such as the series, boxes, folders, or items.

Finding aid=instrument de descripció

</phrase>

<phrase name='collections_findingaid' regexexpression=''>

Open this section to record information regarding the descriptive record itself, the processing of the collection, or the author of the finding aid.

</phrase>

<phrase name='collections_findingaid_descrulesid' regexexpression=''>

Use this drop-down list to record the set of descriptive rules under which the collection description was developed (e.g. DACS or APPM).

</phrase>

<phrase name='collections_findingaid_findinglanguageid' regexexpression=''>

Use this drop-down list to select the language in which the collection description was written.

</phrase>

<phrase name='collections_findingaid_processinginfo' regexexpression=''>

Use this field to record information regarding the processing of the collection that would aid potential users in understanding or using the materials (e.g., information regarding the use of a sampling technique, heavy weeding, or reformatting of originals).

</phrase>

<phrase name='collections_findingaid_publicationdate'
regularexpression=''>

Use this field to record the year in which the collection description was written.

</phrase>

<phrase name='collections_findingaid_publicationnote'
regularexpression=''>

Use this field to record any relevant information concerning the publication of the finding aid or other descriptive information regarding the collection.

Finding aid=instrument de descripció

</phrase>

<phrase name='collections_findingaid_revisionhistory'
regularexpression=''>

Use this field to record information about revisions to the finding aid or descriptive record.

Finding aid=instrument de descripció

</phrase>

<phrase name='collections_genres' regularexpression=''>

Open this section to record the genres or forms of material included in the collection.

</phrase>

<phrase name='collections_genres_arrows' regularexpression=''>

After highlighting a genre/form of material, use the right arrow to link it to the current collection. Use the left arrow to unlink it. CTRL-click to select multiple genres and SHIFT-click to select a range of genres.

</phrase>

<phrase name='collections_genres_genresearch' regularexpression=''>

Use the upper box to filter terms from the master list of genres, then double click a genre term from the filtered list (or use the arrows) to apply it to the collection.

</phrase>

<phrase name='collections_languages' regularexpression=''>

Open this section if you to define the language or languages used in the materials in the collection.

</phrase>

<phrase name='collections_languages_arrows' regularexpression=''>

After highlighting a language, use the right arrow to link it to the current collection. Use the left arrow to unlink it. CTRL-click selects multiple languages and SHIFT-click selects a range of items.

</phrase>

<phrase name='collections_languages_languagesearch'
regularexpression=''>

Use the upper box to filter the master list of languages, then double click a language in the filtered list (or use the arrows) to apply it

to the collection.

</phrase>

<phrase name='collections_locations' regexexpression=''>

Open this area to record the permanent locations where boxes or other containers.

</phrase>

<phrase name='collections_locations_content' regexexpression=''>

Use this field to record the container number(s) that are stored at the specified location.

</phrase>

<phrase name='collections_locations_extent' regexexpression=''>

Use these fields to record information regarding the extent of the boxes or other containers stored in the specified location.

</phrase>

<phrase name='collections_locations_locationid' regexexpression=''>

Use this pull-down list to select the master location (e.g. room or building) where the specified materials are stored. Additional rooms or buildings can be defined in the "Location Manager."

</phrase>

<phrase name='collections_locations_range' regexexpression=''>

Use this field to record the number (or other identifier) of the shelving range where the specified materials are stored.

</phrase>

<phrase name='collections_locations_section' regexexpression=''>

Use this field to record the specific section (of a range) in which the materials are stored.

</phrase>

<phrase name='collections_locations_shelf' regexexpression=''>

Use this field to record the specific shelf (at a specified section) on which the materials are stored.

</phrase>

<phrase name='collections_main_header' regexexpression=''>

If you wish to create a new collection record, click the button at the bottom of the page. To edit an existing collection record, type the collection title or ID into the 'Filter' box. Then click the title to edit.

If your institution uses the classification manager to group collections into record groups, separate components of the ID with slashes, e.g. '12/2/24' for record group '12', subgroup '12', record series '24'.

</phrase>

<phrase name='collections_other' regexexpression=''>

Open this section to record descriptive information relating to the collection that cannot be accommodated in other fields.

</phrase>

<phrase name='collections_other_othenote' regexexpression=''>

Use this field to record information that cannot be accommodated in any of the defined elements of description (See DACS Rule 7.1 for more information).

</phrase>

<phrase name='collections_other_otherurl' regularexpression=''>

Use this field to record a URL related to the collection. Use must be defined by local practice; at UIUC it is used to link to PDF finding aids for inventories not yet imported to the Archon system. The URL should be an absolute URL.

</phrase>

<phrase name='collections_related' regularexpression=''>

Open this section to record information about related or separated materials.

</phrase>

<phrase name='collections_related_origcopiesnote' regularexpression=''>

Use this field to record information describing the existence, location, and availability of originals or copies of the materials being described (See DACS Rules 6.1 and 6.2.)

</phrase>

<phrase name='collections_related_origcopiesurl' regularexpression=''>

Use this field to record a URL relating to originals or copies of the materials being described. The URL should be an absolute URL.

</phrase>

<phrase name='collections_related_preferredcitation' regularexpression=''>

Use this field to record the preferred citation which users should utilize when referencing the collection in published or unpublished works.

</phrase>

<phrase name='collections_related_relatedmaterials' regularexpression=''>

Use this field to record information regarding the existence and location of archival materials that are closely related to the materials being described by provenance, sphere of activity, or subject matter, either in the same repository, in other repositories, or elsewhere. (See DACS Rule 6.3 for more information.)

</phrase>

<phrase name='collections_related_relatedmaterialsurl' regularexpression=''>

Use this field to record the URL of a website referencing materials related to the collection being described. The URL should be an absolute URL.

</phrase>

<phrase name='collections_related_relatedpublications' regularexpression=''>

Use this field to identify any publication that are about or based on the use, study, or analysis of the materials being described. (See DACS element 6.4 for more information.)

</phrase>

<phrase name='collections_related_seperatedmaterials'

regularexpression="">>

Use this field to record information about materials that are associated by provenance to the described materials but that have been physically separated or removed from the collection for various reasons, including the dispersal of special formats to more appropriate custodial units, the destruction of duplicate or nonessential material, and the deliberate or unintentional scattering of materials among different repositories.

</phrase>

<phrase name='collections_restrictions' regularexpression="">>

Open this section to record information on access, use or other restrictions related to the collection.

</phrase>

<phrase name='collections_restrictions_accessrestrictions'

regularexpression="">>

Use this field to record information about access restrictions, such as those imposed by the donor, by the repository, or by statutory/regulatory requirements. (See DACS Rule 4.1 for more information.)

</phrase>

<phrase name='collections_restrictions_physicalaccess'

regularexpression="">>

Use this field to provide information about access restrictions due to any limiting physical characteristic (such as the use of remote storage locations) that might limit, restrict, delay, or otherwise affect access to the materials being described. (See DACS Rule 4.2 for more information).

Feu servir aquest camp ..

</phrase>

<phrase name='collections_restrictions_technicalaccess'

regularexpression="">>

Use this field to provide information about access restrictions due to any technological requirements (e.g. the need to use special playback equipment or computer programs) that might restrict or otherwise affect access to the materials being described. (See DACS Rule 4.3 for more information.)

Feu servir aquest camp ..

</phrase>

<phrase name='collections_restrictions_userrestrictions'

regularexpression="">>

Use this field to identify any restrictions on reproduction due to copyright or other reasons. (See DACS Rule 4.4 for more information).

Feu servir aquest camp ..

</phrase>

<phrase name='collections_subjects' regularexpression="">>

Open this section to link an existing subject authority record to the collection.

</phrase>

<phrase name='collections_subjects_arrows' regexexpression='>

After highlighting a subject, use the right arrow to link it to the current collection. Use the left arrow to unlink the subject.

CTRL-click to select multiple subjects and SHIFT-click to select a range of items.

</phrase>

<phrase name='collections_subjects_subjectsearch' regexexpression='>

Use the upper box to filter subject terms from the master list of subjects, then double click a term in the filtered list (or use the arrows) to apply it to the collection.

</phrase>

<phrase name='configuration_administrativestylesheet' regexexpression='>

This value determines what style sheet will be used as the default for the administrative interface. You may upload new styles to admin/styles/

</phrase>

<phrase name='configuration_administrativewelcomemessage' regexexpression='>

This is the message displayed to users in the message frame when they initially log in.

</phrase>

<phrase name='configuration_classificationnumberminimumlength' regexexpression='>

If defined, classification numbers will be padded with zeros to ensure the number appears with at least the minimum number of characters.

</phrase>

<phrase name='configuration_collectionidentifierminimumlength' regexexpression='>

If defined, the collection identifier will be padded with zeros to ensure the number appears with at least the minimum number of characters.

</phrase>

<phrase name='configuration_confirmresearcheraccounts' regexexpression='>

If enabled, new researcher accounts will have their e-mail addresses verified before their account is fully activated.

</phrase>

<phrase name='configuration_databasestructureversion' regexexpression='>

This value represents the version number of the Archon database structure. It is used by future installers to determine how to upgrade the system.

</phrase>

<phrase name='configuration_defaultlanguage' regexexpression='>

This value specifies the default language.

</phrase>

<phrase name='configuration_defaultrepository' regexexpression='>

This value determines the default repository. This primarily affects the output of data on the default style.

</phrase>

<phrase name='configuration_defaultstyle' regexexpression=''>

The selected style set will be the default style set used in the output system.

</phrase>

<phrase name='configuration_defaulttemplateset' regexexpression=''>

The selected template set will be the default template set used in the output system.

</phrase>

<phrase name='configuration_disabledmessage' regexexpression=''>

If Public Enabled is set to No, this message will be displayed to users in place of the Archon system.

</phrase>

<phrase name='configuration_enableuserdefinedfields'

regexexpression=''>

Enables User-defined fields in the collections manager at the content level.

</phrase>

<phrase name='configuration_header' regexexpression=''>

Click any of the headings listed below to set configuration options for your installation of Archon.

</phrase>

<phrase name='configuration_installationid' regexexpression=''>

The Installation ID is a unique number generated when Archon is initially installed.

</phrase>

<phrase name='configuration_loginbanner' regexexpression=''>

This is the message that will be displayed to users when prompted to log in.

</phrase>

<phrase name='configuration_previewlongmaxsize'

regexexpression=''>

Determines the maximum file size in KB for the long preview generated by the digital library.

</phrase>

<phrase name='configuration_previewshortmaxsize'

regexexpression=''>

Determines the maximum file size in KB for the short preview generated by the digital library.

</phrase>

<phrase name='configuration_publicenabled' regexexpression=''>

Enables the public output system for Archon. To temporarily disable the system, set this value to No.

</phrase>

<phrase name='configuration_relatedoptionmaxlength'

regularexpression="">>

This value determines the length above which strings will be truncated in a related option frame (ie. the subject frame in the collections manager)

</phrase>

<phrase name='configuration_sapassword' regulatexpression="">>

This password will allow an administrator to log in with full privileges. The sa account should only be used when administrators are unable to log on with their individual credentials.

</phrase>

<phrase name='configuration_searchbyclassification'

regularexpression="">>

If this option is enabled, search results will be ordered by classification. As a consequence, any collections not associated with a classification will not be searchable.

</phrase>

<phrase name='configuration_searchresultslimit' regulatexpression="">>

This value will limit the number of results returned by default on all searches in the Archon system.

</phrase>

<phrase name='configuration_thumbnailwidthmedium'

regularexpression="">>

Determines the image width for the medium thumbnail generated by the digital library.

</phrase>

<phrase name='configuration_thumbnailwidthsmall'

regularexpression="">>

Determines the image width for the small thumbnail generated by the digital library.

</phrase>

<phrase name='creators_bioghist' regulatexpression="">>

Use this field to provide information about the organization or individual associated with the creation, assembly, accumulation and/or maintenance of the archival materials (DACS Chapter 10).

Feu servir aquest camp ..

</phrase>

<phrase name='creators_bioghistauthor' regulatexpression="">>

Use this field to record the name of the individual or individuals who created the biographical or historical note.

Feu servir aquest camp ..

</phrase>

<phrase name='creators_creatortypeid' regulatexpression="">>

This drop-down box provides a general list of creator types (e.g. corporate, personal, family). Select the most appropriate type for the creator being added or updated.

</phrase>

<phrase name='creators_dates' regularexpression='>

Use this field to record the year a creator was born and, optionally, died. Use a hyphen to separate the birth and death dates
Feu servir aquest camp ..

</phrase>

<phrase name='creators_header' regularexpression='>

Use the 'Creator Manager' to establish authority records for the creators of archival materials managed by the repository. Once an authorized entry has been established, it may be linked to a collections and/or digital objects by using the 'Creators' sections in the Collections and Digital Library Managers. See DACS Parts II and III for full instructions on describing Creators and constructing forms of names.

</phrase>

<phrase name='creators_lcnafcompliant' regularexpression='>

Check 'yes' if the dates listed in the 'dates' field are the same as those listed in the Library of Congress Name Authority File. Also check yes if the format of the dates complies with the DACS and AACR2 rules for creating authority records, but an LC authority record does not exist for the creator listed in the names field.

</phrase>

<phrase name='creators_lcnafdates' regularexpression='>

If the dates listed in the 'dates' field are not the same as the LCNAF dates for the creator listed in the 'names' field, use this field to record the exact dates, EXACTLY as they are represented in the associated LCNAF record.

Feu servir aquest camp ..

</phrase>

<phrase name='creators_name' regularexpression='>

Use this field to record the authorized entry for the creator being described. See the rules in DACS Chapters 11-14 for a fuller description of accepted name authority practices.

Feu servir aquest camp ..

</phrase>

<phrase name='creators_namefullerform' regularexpression='>

Use this field to record a more complete form of the name for a creator, only if the fuller form of the name is not included in the main creator field (DACS Rule 12.18).

Feu servir aquest camp ..

</phrase>

<phrase name='creators_namevariants' regularexpression='>

Use this field to record other forms of a creator's name that might be sought by a user, but which were not chosen as the authorized form of the name (DACS Rule 11.10).

Feu servir aquest camp ..

</phrase>

<phrase name='creators_parentbody' regularexpression=''>

Use this field to record the name of the parent body for the organization being described in the authority record, only when that organization is a subunit of a larger entity (DACS Rules 14.12-14.14).

Feu servir a quest camp ..

</phrase>

<phrase name='creators_relatedcreators' regularexpression=''>

Use this field to record the name of a corporate body related to the corporate body listed in the 'name' field (See DACS Rules 14.12-14.14). **Corporate body = organisme**

Feu servir a quest camp ..

</phrase>

<phrase name='creators_sources' regularexpression=''>

Use this field to record information regarding citations and sources for information used to compile the administrative or biographical history. (See DACS Rule 10.4 for more information.)

Feu servir a quest camp ..

</phrase>

<phrase name='database_export' regularexpression=''>

Use the drop-down list to export the database. The first field contains a list of SQL server types. Choose the one your system is running in order to ensure that the database can be successfully restored at a later date, if necessary. This field affects exports of both the full database and individual tables. Click the button to initiate an export.

</phrase>

<phrase name='database_header' regularexpression=''>

Use the 'Database Manger' to import or export the database, or to view information about the SQL Server or Mysql database in which your Archon data is stored.

</phrase>

<phrase name='database_importdatabase' regularexpression=''>

Use these utilities to import data into the Archon database. Select an import utility from those listed below and then identify how the data should be imported using the questions supplied to you by the utility. Locally-developed import scripts can be uploaded to Archon's admin/databases folder. Once uploaded, they will appear in this list.

If you choose to develop a local script, use the existing scripts as a template; the scripts will fail unless structured properly.

</phrase>

<phrase name='digitallibrary_collectionlibrary_header' regularexpression=''>

The Digital Library Manager is used to link to external digital objects or to upload digital objects directly into Archon.

Each digital object to be linked or uploaded must be associated with

one of the collections described in the “Collection Manager.”

Use this interface to add new pieces of digital content to the collection and associate the individual pieces with content defined under the Content Manager.

</phrase>

<phrase name='digitallibrary_common_collectioncontentid' regexexpression=''>

This field lists the name of the collection with which the digital content you are uploading will be linked. Depending on the degree to which the collection is described in the ‘Content Manager,’ it may be possible to nest the link in a specific series, folder, or item-level descriptive record.

</phrase>

<phrase name='digitallibrary_common_contenturl' regexexpression=''>

Use this field to provide a link to digital content stored outside of the Archon system. The link should be an absolute URL.

Feu servir aquest camp ..

</phrase>

<phrase name='digitallibrary_common_date' regexexpression=''>

Use this field to record the creation date (at any level of specificity available) for the digital object.

Feu servir aquest camp ..

</phrase>

<phrase name='digitallibrary_common_enabled' regexexpression=''>

Changing this radio button to ‘no’ will suppress the public view of the collection’s summary record and finding aid.

Finding aid=instrument de descripció

</phrase>

<phrase name='digitallibrary_common_identifier' regexexpression=''>

Use this field to record a local identifier assigned by the repository to the digital content. This field maps to the Dublin Core identifier element

Feu servir aquest camp ..

</phrase>

<phrase name='digitallibrary_common_title' regexexpression=''>

Use this field to record the main title/caption of the piece of digital object being uploaded into Archon.

Feu servir aquest camp ..

</phrase>

<phrase name='digitallibrary_creators' regexexpression=''>

Open this section to link a creator authority record or records to the digital object.

</phrase>

<phrase name='digitallibrary_creators_arrows' regexexpression=''>

After highlighting a creator authority record, use the right arrow to link it to the digital object. Use the left arrow to unlink the creator record. CTRL-click selects multiple creator records and SHIFT-click selects a range of records.

</phrase>

<phrase name='digitallibrary_creators_creatorsearch' regexexpression=''>

Use the upper box to filter name authorities from the master list of creators, then double click a name in the filtered list (or use the arrows) to apply the name authority to the digital object.

</phrase>

<phrase name='digitallibrary_detaileddescription' regexexpression=''>

Open this section to provide additional description about the digital resource.

</phrase>

<phrase name='digitallibrary_detaileddescription_contributor' regexexpression=''>

Use this field to record the name of the individual or corporate body which donated or contributed the item. This field maps to the Dublin Core contributor element. **Corporate body**

Feu servir aquest camp ..

</phrase>

<phrase name='digitallibrary_detaileddescription_physicaldescription' regexexpression=''>

Use this field to record a description of the physical characteristics FOR THE ANALOG SOURCE of a digital object. Use this field ONLY if the digital object was not 'born digital,' but was digitized from an analog source, such as a photographic print or a cassette tape.

Feu servir aquest camp ..

</phrase>

<phrase name='digitallibrary_detaileddescription_publisher' regexexpression=''>

Use this field to record the name of the publisher of the digital library content. This field maps to the Dublin Core publisher element.

Feu servir aquest camp ..

</phrase>

<phrase name='digitallibrary_detaileddescription_rightsstatement' regexexpression=''>

Use this field to record a statement regarding the copyright status, or other rights associated with the digital object.

Feu servir aquest camp ..

</phrase>

<phrase name='digitallibrary_detaileddescription_scope' regexexpression=''>

Use this field to record a scope/content note, i.e. a detailed description of the digital object. This field is used to record additional information that cannot be recorded in the 'title' field.

[Feu servir aquest camp ..](#)

</phrase>

<phrase name='digitallibrary_files' regexexpression="">

Open this section to upload a digital object directly into the Archon system, rather than linking to an external resource.

</phrase>

<phrase name='digitallibrary_files_displayorder' regexexpression="">

Use this field to specify the order in which the individual files should appear to the user, when a digital object consists of multiple files, i.e. when it is a 'compound object' such as a multi-page document or an extended audio file with multiple tracks.

[Feu servir aquest camp ..](#)

</phrase>

<phrase name='digitallibrary_files_filecontents' regexexpression="">

Use this field to specify the path to the file you wish to upload into the digital library. Click the browse button to look for the file on your local system.

[Feu servir aquest camp ..](#)

</phrase>

<phrase name='digitallibrary_files_title' regexexpression="">

When more than one file is being uploaded (e.g. for multi-page documents), this field may be used to record a title or caption for each one of the individual files being added. Use of the field is optional.

</phrase>

<phrase name='digitallibrary_files_webenabled' regexexpression="">

Changing this radio button to 'no' will suppress the public view of the individual file.

</phrase>

<phrase name='digitallibrary_languages' regexexpression="">

Open this section if you wish to specify the language or languages used in the digital objects.

</phrase>

<phrase name='digitallibrary_languages_arrows' regexexpression="">

After highlighting a language term from the list, use the right arrow to link it to the current digital object. Use the left arrow to unlink the term. CTRL-click selects multiple terms and SHIFT-click selects a range of terms.

</phrase>

<phrase name='digitallibrary_languages_languagesearch' regexexpression="">

Use the upper box to filter terms from the master list of languages, then double click a language in from the filtered list (or use the arrows) to apply the term to the current digital object.

</phrase>

<phrase name='digitallibrary_main_header' regexexpression=''>

The Digital Library Manager is used to link to external digital objects or to upload digital objects directly into Archon.

Each digital object to be linked or uploaded must be associated with one of the collections described in the "Collection Manager."

If the collection that you wish to associate digital content with is not preselected when you open the "Digital Library Manager," type a collection title or Identifier in the 'Filter' box. Then click the collection title to begin the process of linking to or uploading a digital object.

</phrase>

<phrase name='digitallibrary_subjects' regexexpression=''>

Open this section if you wish to associate subject authority records with the digital library content.

</phrase>

<phrase name='digitallibrary_subjects_arrows' regexexpression=''>

After highlighting a subject term, use the right arrow to link it to the current digital object. Use the left arrow to unlink the term. CTRL-click selects multiple terms and SHIFT-click selects a range of terms.

</phrase>

<phrase name='digitallibrary_subjects_subjectsearch' regexexpression=''>

Use the upper box to filter terms from the master list of subjects, then double click a term in the filtered list (or use the arrows) to apply it to the digital object.

</phrase>

<phrase name='filetypes_contenttype' regexexpression=''>

Use this field to record the MIME content type that should be sent to the user's browser when a user attempts to download this type of file. For example, record the content type as 'audio/mpeg' for mp3 files.

Feu servir aquest camp ..

The content type is used by the file associations listed in the user's web browser to display or load the digital content using the user's preferred applications.

A list of registered content types is available at <http://www.iana.org/assignments/media-types/>.

</phrase>

<phrase name='filetypes_fileextensions' regexexpression="">

Use this field to list the file type extensions represented by the “File Type” field. The extensions must be separated by a comma.

Feu servir aquest camp ..

</phrase>

<phrase name='filetypes_filetype' regexexpression="">

Use this field to describe of the types of file represented by the file extensions listed in the “File Extensions” field.

Feu servir aquest camp ..

</phrase>

<phrase name='filetypes_header' regexexpression="">

Use the File Types Manager to define the types of digital content that administrative users will be allowed to upload into Archon.

</phrase>

<phrase name='filetypes_mediatypeid' regexexpression="">

Use this drop-down list to select the general category which best describes files of this type.

The value selected here is used by Archon to determine which graphics will be displayed in the public interface as links to digital objects of this type. For example, links to photos will display differently than links to digital audio.

</phrase>

<phrase name='home_appointments_header' regexexpression="">

This section of the homepage lists the upcoming researcher appointments for the current week. This section can be used to manage materials for a researcher’s visit.

Use the buttons with green arrows to indicate that the archival materials have been retrieved for the researcher’s use. Use the buttons with red arrows to indicate that the archival materials have been returned to their storage location. The buttons next to the appointment entry will retrieve or return all materials for the appointment, and the buttons next to the collection title will retrieve or return all requested materials for that collection.

</phrase>

<phrase name='home_scratchpad_header' regexexpression="">

This section of the homepage can be used to write yourself notes. These will still be available the next time you login.

</phrase>

<phrase name='home_whosonline_header' regexexpression="">

This section of the homepage lists the users who were actively using the Archon administrative interface within the last ten minutes.

</phrase>

<phrase name='languages_displayorder' regexexpression="">

Use this field to change the order in which the list of available languages will be presented to the user. Languages assigned the lowest

number will appear first in the list.

Feu servir aquest camp ..

</phrase>

<phrase name='languages_header' regexexpression=''>

The Languages Manager is used to define and edit the controlled

list

of languages in which archival materials and finding aids appear.

Finding aid=instrument de descripció

The languages manger includes the ISO 639-2 codes for

languages,

current as of December 2006, and the list should be changed only under extraordinary circumstances.

</phrase>

<phrase name='languages_languelong' regexexpression=''>

This field shows the English name for the language associated

with a

particular 3 letter code. Default values were drawn from the ISO list of languages and language codes.

</phrase>

<phrase name='languages_languageshort' regexexpression=''>

This field shows the three-letter code for the language being.

Default values are drawn from the ISO list of languages and language codes, and should not be changed.

</phrase>

<phrase name='levelcontainers_eadlevel' regexexpression=''>

Use this field to record the value that will be written into the

level attribute of the EAD output whenever the selected level is used in the Content Manager. Consult the EAD Tag Library's documentation for the <c> element for a list of the valid attribute values. This field should be left blank for levels that represent solely a physical container, such as boxes.

Feu servir aquest camp ..

</phrase>

<phrase name='levelcontainers_globalnumbering' regexexpression=''>

Checking 'yes' indicates that the numbering for the named level

will

not restart at one when the level is used within a new parent level in the Content Manger. E.g., if 'yes' is checked for the 'box' level/container, and you move to a new series, the default number will not restart at one the next time you record a box in the new series.

Checking 'no' indicates that numbering for the named level will restart at 1 when the level is used within a new parent level in the Content Manager. For example, if 'yes' is checked for the 'item' level, and you move to a new folder, the next number assigned to an item will be 1.

</phrase>

<phrase name='levelcontainers_header' regexexpression='>

Use the Level/Container Manager to define, edit or delete the levels of description and types of physical containers in which materials may be nested using the Content Manager.

</phrase>

<phrase name='levelcontainers_intellectuallevel' regexexpression='>

Check 'Intellectual Level' if the name of the level/container represents ONLY an intellectual level of description, such as 'record group,' 'series,' or 'item.' Whenever the named level is selected in the Content Manager, the value recorded in the 'EAD level' field will be output as the level attribute of the <c0x> element. E.g., if the level/container name is set to 'Record Group' and the EAD level is set to 'record group,' the value of the level attribute will be set to 'record group.'

Check 'Physical Container' if the name of the level/container represents ONLY a physical container in which archival materials are stored. Whenever the named level is used in the Content Manger, the container number recorded in the Content Manger will be applied to all content nested underneath it. For example, if the level name is box and the level/container number is set to 10, a <container type='box'>10</container> element will be encoded in the EAD output for content nested in the box 10. The administrative user will be able to provide ONLY a title and dates the box itself and the title and dates will NOT be recorded in the EAD output. All information about materials in box 10 MUST be recorded in subsequent levels.

Check both "Intellectual Level" and "Physical Container" if the level/container is intended to represent both a physical container and an intellectual level of description. Whenever the named level is selected in the Content Manger, the value of the EAD level will be written to the level attribute of the <c0x> level, and a <container> element will be recorded with the container number supplied by the administrative user, at the component (<c0x> level where it is recorded, and all levels nested within it.

</phrase>

<phrase name='levelcontainers_levelcontainer' regexexpression='>

Use this field to define or edit the name associated with an intellectual level of description and/or container type. The levels/containers named here will be available for use in the Content Manager.

Feu servir aquest camp ..

</phrase>

<phrase name='levelcontainers_primaryeadlevel' regexexpression='>

Check 'No' if the Container type is NOT the primary one which maps to the value of the 'EAD Level' defined above. For example, if the 'Container Type' is set to 'Tube' and 'EAD level' is set to 'file,' check no.

</phrase>

<phrase name='locations_header' regexexpression=''>

The Location Manager is used to define a repository's storage locations, i.e. the rooms and/or buildings where archival materials are permanently housed.

</phrase>

<phrase name='locations_location' regexexpression=''>

Use this field to record the name of a discrete storage location (e.g. a building name and room number) that differentiates this storage location from others used by your repository.

Feu servir aquest camp ..

</phrase>

<phrase name='materialtypes_header' regexexpression=''>

The Material Types Manager is used to define classes of material held by a repository (e.g. Records, Personal Papers, Family Papers, Publications, etc).

NOTE: Genres or forms of material are specified in the Subject/Genre Manager, NOT the Material Types Manager.

</phrase>

<phrase name='materialtypes_materialtype' regexexpression=''>

Use this field to add or update terms used to distinguish classes of materials held by your repository, (e.g. personal papers vs. Official records/archives).

Feu servir aquest camp ..

</phrase>

<phrase name='phrases_header' regexexpression=''>

The Phrase Manager is used to edit the help button messages ('descriptions'), error messages ('messages') and Archon field and class names displayed to administrative users of the Archon system.

</phrase>

<phrase name='phrases_languageid' regexexpression=''>

Use this field to specify the language of the phrase being added or updated.

Feu servir aquest camp ..

</phrase>

<phrase name='phrases_phrasename' regexexpression=''>

Use this field to record the name of the phrase you want to add or update. Under normal circumstances, the names of fields should not be changed, since doing so may break certain aspects of Archon.

Feu servir aquest camp ..

</phrase>

<phrase name='phrases_phrasetypeid' regexexpression=''>

Use this drop-down list to differentiate the types of phrases managed in the Phrase Manager.

The value should be set to 'description' for help button texts, and

'message' for error messages.

Field and Class names should not be edited under normal circumstances.

```
</phrase>
```

```
<phrase name='phrases_phrasevalue' regexexpression=''>
```

Use this field to record the text to be displayed or processed when the associated object is called by the Archon scripts. The associated help buttons and error messages to display the values recorded here.

Feu servir aquest camp ..

```
</phrase>
```

```
<phrase name='phrases_regexexpression' regexexpression=''>
```

Use this field to record a regular expression that Archon's scripts will use when processing the field and class names associated with the phrase. Normally, the values should not be changed.

Feu servir aquest camp ..

```
</phrase>
```

```
<phrase name='repositories_address' regexexpression=''>
```

Use these two fields to record the street or postal address of your repository.

Feu servir aquests dos camps ..

```
</phrase>
```

```
<phrase name='repositories_administrator' regexexpression=''>
```

Use this field to record the name of the chief administrator for your repository.

Feu servir aquest camp ..

```
</phrase>
```

```
<phrase name='repositories_city' regexexpression=''>
```

Use these fields to record the city, state, and zip code for your repository.

```
</phrase>
```

```
<phrase name='repositories_code' regexexpression=''>
```

Use this field to record the MARC Organization Code for your repository. See <http://www.loc.gov/marc/organizations/> for more information on MARC repository codes.

Feu servir aquest camp ..

```
</phrase>
```

```
<phrase name='repositories_email' regexexpression=''>
```

Use this field to record the e-mail address of your repository.

Feu servir aquest camp ..

```
</phrase>
```

```
<phrase name='repositories_fax' regexexpression=''>
```

Use this field to record the fax number of your repository.

Feu servir aquest camp ..

```
</phrase>
```

```
<phrase name='repositories_header' regexexpression=''>
```

The Repository Manager is used to define the name(s) and other details of your repository or repositories for which your installation of Archon includes descriptive records.

</phrase>

<phrase name='repositories_name' regexexpression=''>

Use this field to record the official name of your repository.

Feu servir aquest camp ..

</phrase>

<phrase name='repositories_phone' regexexpression=''>

Use these fields to record a phone number and, optionally, a phone extension, for your repository.

</phrase>

<phrase name='repositories_url' regexexpression=''>

Use this field to record the URL for the installation of Archon.

Feu servir aquest camp ..

The URL MUST be an absolute URL, and must include a slash at the end of the directory containing archon.

</phrase>

<phrase name='researchers_address' regexexpression=''>

Use these two fields to record the street or postal address of the researcher.

</phrase>

<phrase name='researchers_city' regexexpression=''>

Use these fields to record the city, state, and zip code for the researcher.

</phrase>

<phrase name='researchers_confirmpassword' regexexpression=''>

In order for the addition or update to succeed, the value entered here must be the same as the password in the field above.

</phrase>

<phrase name='researchers_email' regexexpression=''>

Use this field to record the e-mail address of the researcher.

Feu servir aquest camp ..

</phrase>

<phrase name='researchers_firstname' regexexpression=''>

Use this field to enter the first name of the researcher.

Feu servir aquest camp ..

</phrase>

<phrase name='researchers_header' regexexpression=''>

The Researcher Account Manager is used to look up or provide details about researchers using Archon to locate materials.

</phrase>

<phrase name='researchers_lastname' regexexpression=''>

Use this field to enter the last name of the researcher.

Feu servir aquest camp ..

</phrase>

<phrase name='researchers_password' regexexpression=''>

Use this field to record or change a researcher's login password.

Fer servir aquest camp ..

</phrase>

<phrase name='researchers_pending' regexexpression=''>

Check 'Yes' to indicate the researcher's account as pending.

When an

account is pending, the researcher cannot submit a request to checkout materials.

</phrase>

<phrase name='researchers_phone' regexexpression=''>

Use these fields to record a phone number and, optionally, a

phone

extension, for the researcher.

</phrase>

<phrase name='researchertypes_header' regexexpression=''>

The Researcher Types Manager is used to name different kinds of researchers that may wish to schedule appointments with the archives.

</phrase>

<phrase name='researchertypes_researchertype' regexexpression=''>

Use this field to specify the name of the researcher type.

Fer servir aquest camp ..

</phrase>

<phrase name='sessions_header' regexexpression=''>

Use the Sessions Manager may to terminate any database

connections

that are currently open.

</phrase>

<phrase name='subjects_header' regexexpression=''>

The Subject/Genre Manager is used to establish subject and genre authority headings within Archon.

Once created, unfaceted and/or faceted subject and genre

headings

can be associated with collection descriptions or digital objects, by using the Collection Manager and Digital Library Manager, respectively.

</phrase>

<phrase name='subjects_subject' regexexpression=''>

Use this field to record the text of the subject authority term that will be added to Archon's controlled vocabulary.

Fer servir aquest camp ..

If you are creating a faceted subject, the value recorded here will be be nested within the 'current level' shown at the top of the screen.

</phrase>

<phrase name='subjects_subjectsourceid' regexexpression=''>

Use this drop-down list to chose the vocabulary from which the

term

is drawn.

Additional vocabularies can be defined by manually adding them to the Archon database table “tblShared_SubjectSources”

```
</phrase>
```

```
<phrase name='subjects_subjecttypeid' regexexpression=''>
```

Use this drop-down list to record the subject’s general type (e.g. topical term, geographic term, etc.).

Additional types can be defined by manually adding them to the Archon database table “tblShared_SubjectTypes.” (This will not normally be necessary since all LCSH subject types are represented in the list provided with the default installation of Archon.)

```
</phrase>
```

```
<phrase name='usergroups_defaultpermissions' regexexpression=''>
```

Use these check boxes to define permission levels associated with

a

group of users who have access to Archon’s administrative interface.

```
</phrase>
```

```
<phrase name='usergroups_header' regexexpression=''>
```

The Usergroup Manager is used to define the levels of

administrative

authority associated with the defined groups of users. This controls

their ability to add, edit, or delete records in particular Archon

modules.

```
</phrase>
```

```
<phrase name='usergroups_permissionseditor_header'
```

```
regexexpression=''>
```

The ‘Advanced Permissions Editor’ is used to assign specific permissions for the usergroup in question. Use the check boxes to specify what permissions the usergroup should have for each module.

```
</phrase>
```

```
<phrase name='usergroups_usergroup' regexexpression=''>
```

Use this field to record or modify the name associated with a particular usergroup.

Fer servir aquest camp ..

```
</phrase>
```

```
<phrase name='users_confirmpassword' regexexpression=''>
```

In order for the addition or update to succeed, the value entered here must be the same as the password in the field above.

```
</phrase>
```

```
<phrase name='users_displayname' regexexpression=''>
```

Use this field to record the user’s name. The value entered here will be displayed in messages provided in Archon’s administrative interface.

Fer servir aquest camp ..

```
</phrase>
```

```
<phrase name='users_header' regexexpression=''>
```

The User Manager is used to add or delete logins for individuals who have permission to access Archon's administrative interface. It is also used to define the levels of authority that specific users have to edit, add, or delete information in each of the Archon modules.

Users should be assigned to a base user group. They will inherit the default permissions of that group, but permissions can be tailored for specific users if necessary, by using the "Advanced Permissions Editor."

</phrase>

<phrase name='users_locked' regexexpression=''>

Use this field to lock a user, i.e. to deny him or her access to the administrative interface.

Fer servir aquest camp ..

</phrase>

<phrase name='users_login' regexexpression=''>

Use this field to record the login name that will be associated with a particular administrative user.

Fer servir aquest camp ..

</phrase>

<phrase name='users_password' regexexpression=''>

Use this field to record or change a user's login password.

Fer servir aquest camp ..

</phrase>

<phrase name='users_permissionseditor_header' regexexpression=''>

The 'Advanced Permissions Editor' is used to assign specific permissions for the user in question. Use the check boxes to specify what permissions the user should have for each module.

</phrase>

<phrase name='users_repositoryid' regexexpression=''>

Use this drop-down list to select the default repository under

which

the user will create and edit collections.

This applies only if more than one repository has been defined within your installation of Archon, using in the Repository Manager.

</phrase>

<phrase name='users_repositorylimit' regexexpression=''>

Use this field to allow or disallow users from viewing, adding,

and

updating collection records in Archon repositories, other than the primary one to which he/she is assigned.

Fer servir aquest camp ..

</phrase>

<phrase name='users_usergroupid' regexexpression=''>

Use this drop-down list to select the user's a base usergroup.

All users must be assigned to a usergroup before they can access Archon's administrative interface, but advanced permission levels can be tailored for each user if necessary.

```
</phrase>
</phrasetype>
<phrasetype name='Field Name'>
  <phrase name='allarguments' regexexpression='AllArguments'>
    All Arguments
  </phrase>
  <phrase name='bioghist'
regexexpression='BiographicalHistoricalNote'>
    Biographical/Historical Note
  </phrase>
  <phrase name='bioghistauthor' regexexpression='BiogHistAuthor'>
    Biographical/Historical Note Author
  </phrase>
  <phrase name='childclassifications'
regexexpression='ChildClassifications'>
    Child Classifications
  </phrase>
  <phrase name='childcollectioncontent' regexexpression='Child
Collection Content'>
    Child Collection Content
  </phrase>
  <phrase name='childsubjects' regexexpression='ChildSubjects'>
    Child Subjects
  </phrase>
  <phrase name='class' regexexpression='Class'>
    Class
  </phrase>
  <phrase name='classificationandcollectionidentifier'
regexexpression=''>
    Classification and Collection Identifier
  </phrase>
  <phrase name='classificationarray' regexexpression='Classification
Array'>
    Classification Array
  </phrase>
  <phrase name='collectioncontentarray'
regexexpression='CollectionContentArray'>
    Collection Content Array
  </phrase>
  <phrase name='collectioncontentid'
regexexpression='CollectionContentID'>
    Collection Content ID
  </phrase>
  <phrase name='consensusvariable'
regexexpression='ConsensusVariable'>
    Consensus Variable
  </phrase>
```

```

<phrase name='container' regexexpression='Container'>
    Container
</phrase>
<phrase name='containercount' regexexpression='ContainerCount'>
    Container Count
</phrase>
<phrase name='containertypeandnumberandparentandcollection'
regexexpression='>
    Container Type, Number, Parent, and Collection
</phrase>
<phrase name='creatorstring' regexexpression='CreatorString'>
    Creator String
</phrase>
<phrase name='creatortype' regexexpression='CreatorType'>
    Creator Type
</phrase>
<phrase name='dates' regexexpression='Dates'>
    Dates
</phrase>
<phrase name='displayname' regexexpression='DisplayName'>
    Display Name
</phrase>
<phrase name='displayorder' regexexpression='Display Order'>
    Display Order
</phrase>
<phrase name='email' regexexpression='Email'>
    E-mail
</phrase>
<phrase name='extension' regexexpression='Extension'>
    Extension
</phrase>
<phrase name='fields' regexexpression='Fields'>
    Fields
</phrase>
<phrase name='fileextensions' regexexpression='FileExtensions'>
    File Extensions
</phrase>
<phrase name='filename' regexexpression='FileName'>
    File Name
</phrase>
<phrase name='firstname' regexexpression='FirstName'>
    First Name
</phrase>
<phrase name='id' regexexpression='ID'>
    ID
</phrase>
<phrase name='imagethumbnail' regexexpression='ImageThumbnail'>
    Image Thumbnail
</phrase>
<phrase name='languageabbreviation'

```

```

regularexpression='LanguageAbbreviation'>
    Language Abbreviation
</phrase>
<phrase name='languageandnameandphrasetype' regularexpression=''>
    LanguageAndNameAndPhraseType
</phrase>
<phrase name='languagealong' regularexpression='LanguageLong'>
    Language
</phrase>
<phrase name='languageshort' regularexpression='LanguageShort'>
    Language Abbreviation
</phrase>
<phrase name='languagestring' regularexpression='LanguageString'>
    Language String
</phrase>
<phrase name='lastname' regularexpression='LastName'>
    Last Name
</phrase>
<phrase name='lcnafcompliant' regularexpression='LCNAFCompliant'>
    LCNAF-Compliant
</phrase>
<phrase name='lcnafdates' regularexpression='LCNAFDates'>
    LCNAF-Dates
</phrase>
<phrase name='locationentrystring'
regularexpression='LocationEntryString'>
    Location Entry String
</phrase>
<phrase name='login' regularexpression='Login'>
    Login
</phrase>
<phrase name='mailfunction' regularexpression='MailFunction'>
    mail()
</phrase>
<phrase name='name' regularexpression='Name'>
    Name
</phrase>
<phrase name='name' regularexpression='Name'>
    Name
</phrase>
<phrase name='nameandparent' regularexpression=''>
    Name and Parent
</phrase>
<phrase name='nameandparentbody' regularexpression=''>
    Name and Parentbody
</phrase>
<phrase name='namefullerform' regularexpression='NameFullerForm'>
    Fuller Form of Name
</phrase>
<phrase name='names' regularexpression='Names'>

```

Names

</phrase>

<phrase name='namevariants' regexexpression='NameVariants'>

 Name Variants

</phrase>

<phrase name='nextcontainernumber'

regexexpression='NextContainerNumber'>

 Next Container Number

</phrase>

<phrase name='number' regexexpression='Number'>

 Number

</phrase>

<phrase name='parent' regexexpression='Parent'>

 Parent

</phrase>

<phrase name='parentandnumberortitle' regexexpression=''>

 Parent and Number or Title

</phrase>

<phrase name='parentbody' regexexpression='ParentBody'>

 Parent Body

</phrase>

<phrase name='password' regexexpression='Password'>

 Password

</phrase>

<phrase name='permissions' regexexpression='Permissions'>

 Permissions

</phrase>

<phrase name='relatedcreators' regexexpression='RelatedCreators'>

 Related Creators

</phrase>

<phrase name='relatedobject' regexexpression='RelatedObject'>

 Related Object

</phrase>

<phrase name='relatedobjects' regexexpression='RelatedObjects'>

 Related Objects

</phrase>

<phrase name='repositorycode' regexexpression='RepositoryCode'>

 Repository Code

</phrase>

<phrase name='rootcontent' regexexpression='RootContent'>

 Root Content

</phrase>

<phrase name='siblingcollectioncontent'

regexexpression='SiblingCollectionContent'>

 Sibling Collection Content

</phrase>

<phrase name='sorttitle' regexexpression='SortTitle'>

 Sort Title

</phrase>

<phrase name='sources' regexexpression='Sources'>

Sources for Biography or History

```
</phrase>
<phrase name='subjectarray' regexexpression='SubjectArray'>
  Subject Array
</phrase>
<phrase name='subjectstring' regexexpression='SubjectString'>
  Subject String
</phrase>
<phrase name='table' regexexpression='Table'>
  Table
</phrase>
<phrase name='thumbnailimage' regexexpression='ThumbnailImage'>
  Thumbnail Image
</phrase>
<phrase name='title' regexexpression='Title'>
  Title
</phrase>
<phrase name='titleandcollectionandcollectioncontent'
regexexpression=''>
  Title, Collection, and Collection Content
</phrase>
<phrase name='titleandfilenameandcontent' regexexpression=''>
  Title, File Name, and Content
</phrase>
<phrase name='titleandsorttitleandrepository' regexexpression=''>
  Title, Sort Title, and Repository
</phrase>
<phrase name='titleandvalue' regexexpression=''>
  Title and Value
</phrase>
<phrase name='userarray' regexexpression='UserArray'>
  User Array
</phrase>
<phrase name='userfieldstring' regexexpression='UserFieldString'>
  User Field String
</phrase>
<phrase name='usergrouparray' regexexpression='UsergroupArray'>
  Usergroup Array
</phrase>
<phrase name='usergrouppermissions'
regexexpression='UsergroupPermissions'>
  Usergroup Permissions
</phrase>
<phrase name='userpermissions' regexexpression='UserPermissions'>
  User Permissions
</phrase>
<phrase name='value' regexexpression='Value'>
  Value
</phrase>
<phrase name='variables' regexexpression='Variables'>
```

```

        Variables
    </phrase>
    <phrase name='zipcode' regexexpression='ZIPCode'>
        ZIP Code
    </phrase>
</phrasetype>
<phrasetype name='Message'>
    <phrase name='and' regexexpression='([w]+) and ([w]+)'>
        $1 and $2
    </phrase>
    <phrase name='changedsuccessfully' regexexpression='^([w]+)
Changed
Successfully'>
        $1 Changed Successfully
    </phrase>
    <phrase name='databaseupdatedsuccessfully'
regexexpression='^([w]+)
Database Updated Successfully'>
        $1 Database Updated Successfully
    </phrase>
    <phrase name='deletedsuccessfully' regexexpression='^([w]+) Deleted
Successfully'>
        $1 Deleted Successfully
    </phrase>
    <phrase name='deleteinstaller' regexexpression='Archon will not
function until install/includes.inc.php has been deleted'>
        Archon will not function until install/includes.inc.php has been
deleted
    </phrase>
    <phrase name='error_activate' regexexpression='Could not activate
([w]+)'>
        Could not activate $1
    </phrase>
    <phrase name='error_add' regexexpression='Could not add ([w]+)'>
        Could not add $1
    </phrase>
    <phrase name='error_addto' regexexpression='Could not add to
([w]+)'>
        Could not add to $1
    </phrase>
    <phrase name='error_admin_password' regexexpression='Could not
change password'>
        Could not change password
    </phrase>
    <phrase name='error_admin_reason_curpasswordinvalid'
regexexpression='Current password is not valid'>
        Current password is not valid
    </phrase>
    <phrase name='error_admin_reason_filetoolarge'
regexexpression='The

```

uploaded file was too large'>
The uploaded file was too large
</phrase>
<phrase name='error_admin_reason_newpasswordmatch'
regularexpression='New passwords do not match'>
New passwords do not match
</phrase>
<phrase name='error_admin_reason_passwordmatch'
regularexpression='Passwords must match'>
Passwords must match
</phrase>
<phrase name='error_admin_storefile' regularexpression='Could not
store file'>
Could not store file
</phrase>
<phrase name='error_admin_unknowncommand'
regularexpression='Unknown
command'>
Unknown command
</phrase>
<phrase name='error_authentication' regularexpression='Authentication
failed'>
Authentication failed
</phrase>
<phrase name='error_convert' regularexpression='Cannot convert
([w]+) to string'>
Cannot convert \$1 to string
</phrase>
<phrase name='error_create' regularexpression='Could not create
([w]+)'>
Could not create \$1
</phrase>
<phrase name='error_deactivate' regularexpression='Could not
deactivate ([w]+)'>
Could not deactivate \$1
</phrase>
<phrase name='error_delete' regularexpression='Could not delete
([w]+)'>
Could not delete \$1
</phrase>
<phrase name='error_deletefrom' regularexpression='Could not delete
from ([w]+)'>
Could not delete from \$1
</phrase>
<phrase name='error_get' regularexpression='Could not get ([w]+)'>
Could not get \$1
</phrase>
<phrase name='error_load' regularexpression='Could not load ([w]+)'>
Could not load \$1
</phrase>

```

    <phrase name='error_loadfor' regexexpression='Could not load
([w]+) for ([w]+)'>
        Could not load $1 for $2
    </phrase>
    <phrase name='error_reason_credentials' regexexpression='Missing
Credentials'>
        Missing Credentials
    </phrase>
    <phrase name='error_reason_existingerror' regexexpression='There
was already an error'>
        There was already an error
    </phrase>
    <phrase name='error_reason_fileextensionnotdefined'
regexexpression='File extension ([w]+) not defined in the file types manager, and
only defined file types may be add'>
        File extension $1 not defined in the file types manager, and only
defined file types may be added.
    </phrase>
    <phrase name='error_reason_functionreport'
regexexpression='([w]+()) reported an error'>
        $1 reported an error
    </phrase>
    <phrase name='error_reason_imagecopyresampled'
regexexpression='imagecopyresampled failed'>
        imagecopyresampled failed
    </phrase>
    <phrase name='error_reason_imagefunction'
regexexpression='Function
image([w]+) does not exist. Please verify the specified Image Type is
correct and the proper libraries are installed'>
        Function image$1 does not exist. Please verify the specified
Image
Type is correct and the proper libraries are installed
    </phrase>
    <phrase name='error_reason_imagesize' regexexpression='No width or
height specified'>
        No width or height specified
    </phrase>
    <phrase name='error_reason_invalidlogin' regexexpression='Invalid
Login'>
        Invalid Login
    </phrase>
    <phrase name='error_reason_largefile' regexexpression='The uploaded
file was too large'>
        The uploaded file was too large
    </phrase>
    <phrase name='error_reason_nodelete' regexexpression='Unable to
delete from the database table'>
        Unable to delete from the database table
    </phrase>

```

```

    <phrase name='error_reason_noexist' regexexpression='([w]+)(
[w]+)? does not exist'>
        $1 $2 does not exist
    </phrase>
    <phrase name='error_reason_noexistdatabase'
regexexpression='([w]+) ([w]+) ([wd]+) does not exist in the database'>
        $1 $2 $3 does not exist in the database
    </phrase>
    <phrase name='error_reason_noids' regexexpression='No IDs
specified'>
        No IDs specified
    </phrase>
    <phrase name='error_reason_noinstert' regexexpression='Unable to
insert into the database table'>
        Unable to insert into the database table
    </phrase>
    <phrase name='error_reason_noparent' regexexpression='Parent not
found'>
        Parent not found
    </phrase>
    <phrase name='error_reason_noset' regexexpression='Unable to set
([w]+)'>
        Unable to set $1
    </phrase>
    <phrase name='error_reason_notarray' regexexpression='Argument is
not an array'>
        Argument is not an array
    </phrase>
    <phrase name='error_reason_notdefined' regexexpression='([w]+)(
[w]+)? not defined'>
        $1 $2 not defined
    </phrase>
    <phrase name='error_reason_notrelated' regexexpression='([w]+) is
not related to ([w]+)'>
        $1 is not related to $2
    </phrase>
    <phrase name='error_reason_notset' regexexpression='([w]+)(
[w]+)? not set'>
        $1 $2 not set
    </phrase>
    <phrase name='error_reason_noupdate' regexexpression='Unable to
update database table'>
        Unable to update database table
    </phrase>
    <phrase name='error_reason_numeric' regexexpression='([w]+)
([w]+) must be numeric'>
        $1 $2 must be numeric
    </phrase>
    <phrase name='error_reason_permissiondenied'
regexexpression='Permission denied'>

```

```

        Permission denied
    </phrase>
    <phrase name='error_reason_primaryrepository'
regularexpression='([w]+) may only be altered for the primary repository'>
        $1 may only be altered for the primary repository
    </phrase>
    <phrase name='error_reason_readonly' regularexpression='([w]+) is
read-only'>
        $1 is read-only
    </phrase>
    <phrase name='error_reason_related' regularexpression='([w]+)
([w]+) already related to ([w]+) ([w]+) ([w]+)'>
        $1 $2 already related to $3 $4 $5
    </phrase>
    <phrase name='error_reason_repeatinfo' regularexpression='A ([w]+)
with the same ([w]+) already exists in the database'>
        A $1 with the same $2 already exists in the database
    </phrase>
    <phrase name='error_reason_saaccount' regularexpression='The sa
account can only be altered from the Archon Configuration module'>
        The sa account can only be altered from the Archon
Configuration
module
    </phrase>
    <phrase name='error_reason_selfcontain' regularexpression='A ([w]+)
may not contain itself'>
        A $1 may not contain itself
    </phrase>
    <phrase name='error_reason_specified' regularexpression='No ([w]+)
([w]+) specified'>
        No $1 specified
    </phrase>
    <phrase name='error_relate' regularexpression='Could not relate
([w]+)'>
        Could not relate $1
    </phrase>
    <phrase name='error_root_disabled' regularexpression='([w]+)
disabled!'>
        $1 disabled!
    </phrase>
    <phrase name='error_root_templatenotdefined'
regularexpression='Collection template not defined for template set ([w]+)'>
        Collection template not defined for template set $1
    </phrase>
    <phrase name='error_search' regularexpression='Could not search
([w]+)'>
        Could not search $1
    </phrase>
    <phrase name='error_send' regularexpression='Could not send ([w]+)'>
        Could not send $1

```

```

    </phrase>
    <phrase name='error_set' regexexpression='Could not set ([w]+)'>
        Could not set $1
    </phrase>
    <phrase name='error_store' regexexpression='Could not store
([w]+)'>
        Could not store $1
    </phrase>
    <phrase name='error_transfer' regexexpression='Could not transfer
([w]+)'>
        Could not transfer $1
    </phrase>
    <phrase name='error_traverse' regexexpression='Could not traverse
([w]+)'>
        Could not traverse $1
    </phrase>
    <phrase name='error_unrelate' regexexpression='Could not unrelate
([w]+)'>
        Could not unrelate $1
    </phrase>
    <phrase name='error_unset' regexexpression='Could not unset
([w]+)'>
        Could not unset $1
    </phrase>
    <phrase name='error_update' regexexpression='Could not update
([w]+)'>
        Could not update $1
    </phrase>
    <phrase name='error_verify' regexexpression='Could not verify
([w]+)'>
        Could not verify $1
    </phrase>
    <phrase name='newversion' regexexpression='A newer version of
Archon has been released, visit <a
href="http://www.archon.org/">www.archon.org</a> to upgrade'>
        A newer version of Archon has been released, visit <a
href="http://www.archon.org/">www.archon.org</a> to upgrade
    </phrase>
    <phrase name='notice' regexexpression='NOTICE'>
        NOTICE
    </phrase>
    <phrase name='or' regexexpression='([w]+) or ([w]+)'>
        $1 or $2
    </phrase>
    <phrase name='updatedsuccessfully' regexexpression='^([w]+)
Updated
Successfully'>
        $1 Updated Successfully
    </phrase>
</phrasetype>

```

</language>